



# 2022 | SIGN LIST PRICE BOOK



FDCFILMS.COM



@fdcfilms

Series		Page #
	Table of Contents.....	2
0050	3M™ 50 Scotchcal™ Graphic Film.....	4
1120	3M™ 1170 ElectroCut™ Film.....	5
1203	Lumina® Promotional Static Cling Film.....	6
180mC	3M™ Controllac™ Graphic Film with Comply™ Adhesive Series 180mC.....	7
2100	Lumina® Premium High Performance Vinyl Film.....	9
2407	Lumina® Premium Flexible Engineering Grade Reflective Film.....	11
2409	Lumina® Intermediate Utility Grade Reflective Film.....	12
2520	Lumina® Premium Cast Translucent Film With Synthetic Liner.....	13
2600	R Tape 4075 ApliTape™: High Tack, Standard Paper.....	15
2601	R Tape 4050 ApliTape™: Medium Tack, Standard Paper.....	16
2602	R Tape 4000 ApliTape™: Low Tack, Standard Paper.....	17
2612	R Tape AT60n Clear Choice®: Low Tack.....	18
2614	R Tape 4075 RLA® Conform®: High Tack, Standard Paper.....	19
2615	R Tape 4050 RLA® Conform®: Medium Tack, Standard Paper.....	20
2616	R Tape 4775 RLA® Conform®: High Tack, Premium Paper.....	21
2617	R Tape 4750 RLA® Conform®: Medium Tack, Premium Paper.....	22
2621	3M™ Premasking Tape SCPM-3.....	23
2624	3M™ Premasking Tape SCPM-44X.....	24
2627	R Tape 4076 RLA® Conform®: High Tack, Standard Paper.....	25
2659	R Tape AT75 Clear Choice®: High Tack.....	26
2664	R Tape 4078 RLA® Conform®: Medium Tack, Standard Paper.....	27
2665	R Tape 4761 RLA® Conform®: High Tack, Heavy Weight Paper.....	28
2667	R Tape AT65 Clear Choice®: High Tack.....	29
2668	Lumina® Craft and Hobby Application Tape.....	30
2670	Lumina® Craft and Hobby Application Tape.....	31
2800	Lumina® Promotional Metallized Mirror Finish Polyester Film.....	32
2801	Lumina® Metallized Brushed Finish Polyester Film.....	33
2802	Avery Dennison® SF100 Polyester Double Sided Mirror Film.....	34
2808	ASLAN Metal Effect Films: Double Sided Mirror, Dryapply.....	35
2824	R Tape VinylEfx®: Metal Flake, Decorative Series.....	36
2826	R Tape VinylEfx®: Smooth Mirror, Decorative Series.....	37
2826	R Tape VinylEfx®: Fine Brush, Decorative Series.....	38
2826	R Tape VinylEfx®: Florentine Leaf, Decorative Series.....	39
2827	R Tape VinylEfx®: Diamond Plate™, Decorative Series.....	40
2831	R Tape VinylEfx®: Brite Overall™, Decorative Series.....	41
2900	Avery Dennison® SF100 Paint Mask, Removable Adhesive.....	42
2901	Lumina® Promotional Paint Mask, Low-Tack Removable Adhesive.....	43
2905	Avery Dennison® SF100 Paint Mask, High Temp, Removable Adhesive.....	44
3000	Lumina® Intermediate 20# Drawing and Pounce Media Paper.....	45
3002	Lumina® 90# Bleached Kraft Release Liner Paper.....	46
3004	Lumina® 60# Drawing and Pounce Media Paper.....	47
3200	3M™ 3200 Engineer Grade Reflective Sheeting.....	48
3300	Lumina® Imitation Leaf Vinyl Film.....	49

Series		Page #
3400	Lumina® Holographic Film.....	50
3404	ASLAN Memo Board Films™ - Ferrous Film.....	51
3501	Lumina® Promotional Fluorescent Vinyl Film.....	52
3508	ASLAN Ice Look, Dryapply Film.....	53
3522	Lumina® Premium Etched Glass Vinyl Film.....	54
3600	3M™ 3650 Scotchcal™ Graphic Film.....	55
3630	3M™ 3630 Scotchcal™ Translucent Graphic Film.....	56
3635	3M™ 3635 Light Management Films - Blockout Films.....	58
3635	3M™ 3635 Light Management Films - Chrome Graphic Film.....	59
3635	3M™ 3635 Light Management Films - Day / Night Films.....	60
3635	3M™ 3635 Light Management Films - Diffuser Films.....	61
3635	3M™ 3635 Light Management Films - Dual Color Films.....	62
3635	3M™ 3635 Light Enhancement Film.....	63
3640	3M™ 3690 Scotchcal™ Graphic Film.....	64
3640	3M™ 3690LF Scotchcal™ Graphic Film.....	65
3640	3M™ 3690C Controltac™ Graphic Film With Comply™ Adhesive.....	66
3700	Lumina® Premium Ultra Metallic Vinyl Film .....	67
3710	Lumina® Ultra Metallic Cast Vinyl Film.....	68
3730	3M™ Envision™ Translucent Graphic Film Series 3730.....	69
3735	3M™ 3735 Light Management Films - Envision™ Diffuser Films.....	70
3804	Lumina® Intermediate Frosted Crystal Vinyl Film.....	71
3930	3M™ 3930 High Intensity Prismatic Reflective Sheeting.....	72
4000	3M™ 4000 Diamond Grade™ DG3 Reflective Sheeting.....	73
4200	Lumina® Intermediate Ultra High Gloss Vinyl Film.....	74
4301	Lumina® Matte Self Adhesive Removable Vinyl Film.....	76
4305	Lumina® Promotional Dry Erase Vinyl Film.....	77
4306	Lumina® Promotional Enamel Receptive Vinyl Film.....	78
4308	ASLAN Memoboard Films: Whiteboard, Clearboard.....	79
4308	ASLAN Memo Board Films™ - Chalk Board.....	80
4308	ASLAN Memo Board Films™ - Liquid Chalk.....	81
4310	RTape ChalkTalk™.....	82
4725	Lumina® Intermediate Vinyl Film.....	83
4826	R Tape VinylEfx®: Smooth Mirror, Outdoor Durable.....	85
4826	R Tape VinylEfx®: Fine Brush, Outdoor Durable.....	86
4826	R Tape VinylEfx®: Florentine Leaf, Outdoor Durable.....	87
4826	R Tape VinylEfx®: Large Engine Turn, Outdoor Durable.....	88
4827	R Tape VinylEfx®: Diamond Plate™, Outdoor Durable.....	89
5100	3M™ Scotchlite™ Reflective Graphic Film Series 5100.....	90
5101	3M™ 5100R Scotchlite™ Reflective Film.....	91
5800	3M™ 580 Scotchlite™ Reflective Graphic Film.....	92
6800	3M™ 680 Scotchlite™ Reflective Graphic Film.....	93
6801	3M™ 680CR Scotchlite™ Removable Reflective Graphic Film w/ Comply™ Adhesive.....	94
7125	3M™ 7125 Scotchcal™ ElectroCut™ Graphic Film.....	95
7725	3M™ 7725 Scotchcal™ ElectroCut™ Graphic Film.....	97
7725SE	3M™ 7725SE Scotchcal™ ElectroCut™ Graphic Film.....	99
8400	ASLAN Illustra Glass Decoration Films, Dryapply Adhesive.....	100
9810	3M™ 983 Diamond Grade™ Conspicuity Markings.....	101
	Accessories.....	103
	Premasking Upcharges Chart.....	105
	Pricebook Changes.....	106



FDC 0050 Series is 3M™ 50 Scotchcal™ Graphic Film. These films have a clear, pressure-sensitive adhesive with a blue liner on the white films, for easier visibility when weeding, and a white liner on all other film colors. Use this versatile film in both indoor and outdoor applications for thermal mass transfer and electronic cutting. It is removable with heat for up to three years and permanent for up to five years. To order punched material, use part number 0055.

Key Features

**Film Technology:** Calendered  
**Film Thickness:** 3.0 mil.  
**Finish:** High Gloss  
**Blockout:** No  
**Outdoor Durability:** Up to 5 years  
**Adhesive / Color:** Removable (Up to 3 Years With Heat) / Clear  
**Liner:** White and Blue Kraft Paper  
**Conformability:** Flat Surfaces, Simple Curves  
**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Yes  
**Shelf Life:** 3 Years  
**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No  
**Installation:**  
 Wet Apply: Yes  
 Minimum Application °F: 50 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

0050 (Unpunched)			
Part No.	Roll Size	BWC	Colors
-6015	60"x50Yds	415.74	458.96
-6003	60"x10Yds	104.98	115.89
-4815	48"x50Yds	332.59	367.17
-4803	48"x10Yds	83.98	92.71
*-3615	36"x50Yds	249.45	275.38
-3015	30"x50Yds	211.77	233.78
-3003	30"x10Yds	53.47	59.03
-2415	24"x50Yds	169.41	187.03
-2403	24"x10Yds	42.78	47.22
-1515	15"x50Yds	105.88	116.89
-1503	15"x10Yds	26.74	29.51
0055 (Punched)			
Part No.	Roll Size	BWC	Colors
-3015	30"x50Yds	220.24	243.13
-3003	30"x10Yds	55.61	61.39
-1515	15"x50Yds	110.12	121.57
-1503	15"x10Yds	27.81	30.70

Sizes less than 12" in width are part of the FDC Striping

Program. Please refer to your FDC Stripe Book for offering and pricing.

\* available in black only

Colors Available

0050 Series

- |                           |                  |                    |
|---------------------------|------------------|--------------------|
| 010 White (w/ Blue Liner) | 054 Gold         | 084 Azure Blue     |
| 011 Transparent           | 058 Silver       | 088 Sapphire Blue  |
| 012 Black                 | *064 Pink        | 090 Deep Navy Blue |
| 100 Matte White           | 066 Purple       | 092 Brown          |
| 120 Matte Black           | 073 Grass Green  | 094 Light Grey     |
| 024 Lemon Yellow          | 076 Medium Green | 097 Nimbus Grey    |
| 027 Sunflower             | 078 Dark Green   | 483 Dark Red       |
| 034 Bright Orange         | 079 Teal         | 745 Bright Green   |
| 044 Light Red             | 082 Light Blue   | 914 Beige          |
| 049 Burgundy              |                  |                    |

\* Not available in 60"

FDC Graphic Films, Inc. - Confidential



FDC 1120 Series is 3M™ 1170 ElectroCut™ Film. These films are a durable, transparent, acrylic colored film coated with a transparent, pressure-sensitive adhesive that is protected by a removable liner. Colored E.C. Films are often used instead of silk screened inks to provide transparent colored background copy for retroreflective street name signs and other traffic control signs. To order punched material, use part number 1170.

Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil.  
**Finish:** Gloss  
**Blockout:** No  
**Outdoor Durability:** 7 Years  
**Adhesive / Color:** Permanent/Clear  
**Liner:** Clear  
**Conformability:** Flat surfaces  
**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Cold  
**Shelf Life:** 1 Year  
**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No  
**Installation:**  
 Wet Apply: Yes  
 Minimum Application °F: 50 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

1120 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	1,260.59
-4803	48"x10Yds	264.72
*-3615	36"x50Yds	945.44
-3015	30"x50Yds	787.87
-3003	30"x10Yds	165.45
-2415	24"x50Yds	630.29
-2403	24"x10Yds	132.36
-1515	15"x50Yds	393.93
-1503	15"x10Yds	82.73
1170 (Punched)		
Part No.	Roll Size	All
** -3115	30"x50Yds	819.38
** -3103	30"x10Yds	172.07
-3015	30"x50Yds	819.38
-3003	30"x10Yds	172.07
-1515	15"x50Yds	409.69
-1503	15"x10Yds	86.03

\* Special Order Only if no inventory is available  
 Other Sizes also Available.  
 \*\* 1/2" punch pattern

Standard Colors Available

1120 Series

- 071 Yellow
- 072 Red
- 074 Orange
- 075 Blue
- 077 Green

Special Order Colors

1120 Series

- 070 Clear
- 078 Black (Opaque)
- 079 Brown



Lumina 1203 Series is a promotional grade calendared static cling vinyl film designed for producing temporary graphics, signage and decals. This product features a unique construction, which provides the ability to adhere to a variety of smooth surfaces without the presence of a pressure sensitive adhesive making it easy to position and reposition. To order punched material, use part number 1253.

Key Features

<b>Film Technology:</b>	Calendared
<b>Film Thickness:</b>	7.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	3 Months
<b>Adhesive / Color:</b>	Clear
<b>Liner:</b>	90# Layflat
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	No
Steel Rule:	Yes
Thermal Die:	No
Flat Bed:	No
Sheetable:	Yes
Laminate:	No
<b>Shelf Life:</b>	6 Months
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

1203 (Unpunched)			
Part No.	Roll Size	Clear	White
-6015	60"x50Yds	447.63	448.83
-6003	60"x10Yds	89.53	89.77
-5415	54"x50Yds	402.87	403.95
-5403	54"x10Yds	80.58	80.79
-4815	48"x50Yds	358.10	359.06
-4803	48"x10Yds	71.62	71.81
-3915	39"x50Yds	290.96	291.74
-3903	39"x10Yds	58.19	58.35
-3615	36"x50Yds	268.58	269.30
-3603	36"x10Yds	53.72	53.86
-3015	30"x50Yds	223.82	224.41
-3003	30"x10Yds	44.77	44.88
-2415	24"x50Yds	179.05	179.53
-2403	24"x10Yds	35.81	35.91
-1915	19"x50Yds	141.74	142.13
-1903	19"x10Yds	28.35	28.43
-1515	15"x50Yds	111.91	112.21
-1503	15"x10Yds	22.38	22.44
1203 (1253 Punched)			
Part No.	Roll Size	Clear	White
*-3115	30"x50Yds	232.77	233.39
*-3103	30"x10Yds	46.56	46.68
-3015	30"x50Yds	232.77	233.39
-3003	30"x10Yds	46.56	46.68
-1515	15"x50Yds	116.39	116.69
-1503	15"x10Yds	23.28	23.34

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
\* 1/2" punch pattern

Colors Available  
1203 Series

- 000 Clear
- 002 White



# 180MC 3M™ Controltac™ Graphic Film with Comply™ Adhesive Series 180mC



FDC 180MC Series is 3M Controltac™ Graphic Film With Comply™ Adhesive Series 180mC (micro comply adhesive technology). Series 180MC offers great versatility along with a slideable, repositionable, pressure activated adhesive. These long term durable and removable films have excellent hiding power and stability, making them perfect for indoor and outdoor signs and fleet graphics. This product features micro comply adhesive technology providing smaller air channels than Comply™ for faster and easier, bubble-free installations.

**Key Features**

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	7 Years
<b>Adhesive / Color:</b>	Positionable, Pressure Activated / Clear (Exceptions Noted)
<b>Liner:</b>	Polyethylene-coated Paper
<b>Conformability:</b>	Flat, with and without rivets, simple curves, moderate compound curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Yes / Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior / Exterior

**Ordering Information**

180MC (Unpunched)				
Part No.	Roll Size	Black	White	Clear
-6015	60"x50Yds	1,429.98	1,354.56	1,422.86
-6003	60"x10Yds	300.30	284.46	298.80
-4815	48"x50Yds	1,143.98	1,083.65	1,138.29
-4803	48"x10Yds	240.24	227.57	239.04
-3015	30"x50Yds	728.48	690.06	724.85
-3003	30"x10Yds	152.98	144.91	152.22
-2415	24"x50Yds	582.78	552.05	579.88
-2403	24"x10Yds	122.38	115.93	121.78
-1515	15"x50Yds	364.24	345.03	362.43
-1503	15"x10Yds	76.49	72.46	76.11
Part No.	Roll Size	Colors	Metallic	
-6015	60"X50Yds	1,681.54	N/A	
-6003	60"X10Yds	353.12	N/A	
-4815	48"x50Yds	1,345.23	1,491.45	
-4803	48"x10Yds	282.50	313.20	
-3015	30"x50Yds	856.63	949.74	
-3003	30"x10Yds	179.89	199.45	
-2415	24"x50Yds	685.31	759.79	
-2403	24"x10Yds	143.91	159.56	
-1515	15"x50Yds	428.32	474.87	
-1503	15"x10Yds	89.95	99.72	
185MC (Punched)				
Part No.	Roll Size	Black	White	Clear
-3015	30"x50Yds	757.62	717.66	753.85
-3003	30"x10Yds	159.10	150.71	158.31
-1515	15"x50Yds	378.81	358.83	376.92
-1503	15"x10Yds	79.55	75.35	79.15
Part No.	Roll Size	Colors	Metallic	
-3015	30"x50Yds	890.90	987.73	
-3003	30"x10Yds	187.09	207.42	
-1515	15"x50Yds	445.45	493.87	
-1503	15"x10Yds	93.54	103.71	

Sizes less than 12" in width are part of the FDC Stripping Program. Please refer to your FDC Stripe Book for offering and offering

Colors Available  
180MC Series

see next page



# 180MC 3M™ Controltac™ Graphic Film with Comply™ Adhesive Series 180mC

## Colors Available

180MC Series

### Standard Stock

All Sizes Available

- |                            |                     |
|----------------------------|---------------------|
| *010 White (Grey Adhesive) | *053 Cardinal Red   |
| *012 Black                 | *057 Olympic Blue   |
| *013 Tomato Red            | 114 Transparent     |
| 015 Bright Yellow          | *120 Satin Aluminum |
| *037 Sapphire Blue         | 151 Traffic Gray    |
|                            | *186 Bright Green   |

### Stock Colors

48" and 24"

- |                          |                        |                              |
|--------------------------|------------------------|------------------------------|
| 011 Pearl Grey           | *061 Mid Gray          | *121 Light Gray              |
| *014 Bright Orange       | 063 Geranium           | *127 Boat Blue               |
| *016 Khaki Green         | 064 Apricot            | 131 Satin Gold               |
| *017 Vivid Blue          | 065 Light Lemon Yellow | 136 Lime Green               |
| *019 Deep Mahogany Brown | 066 Forest Green       | 177 Shadow Blue              |
| 020 Matte White          | 069 Duranodic          | 187 Wedgewood Blue           |
| 022 Matte Black          | 074 Red Orange         | 196 Apple Green              |
| *023 Deep Red            | *077 Peacock Blue      | 197 Light Navy               |
| 024 Terra Cotta          | 078 Plum               | 201 Slate Metallic           |
| 025 Sunflower            | *081 Stone Gray        | 211 Charcoal Metallic        |
| *027 Indigo              | 086 Robin Egg Blue     | 217 Dark Blue Metallic       |
| *029 Russett Brown       | 089 Sandstone          | 227 Bright Blue Metallic     |
| 031 Medium Grey          | *090 Antique White     | 229 Copper Metallic          |
| 038 Royal Purple         | 091 Dove Gray          | 239 Chocolate Brown Metallic |
| *039 Tan                 | 093 imperial Red       | 241 Gold Metallic            |
| 041 Dark Grey            | 096 Teal               | *243 Steampunk Red Metallic  |
| *046 Kelly Green         | *097 Soft Blue         | 247 Petroleum Blue Metallic  |
| *047 Intense Blue        | 098 Dark Violet        | *249 Champagne Metallic      |
| 048 Purple               | 099 Fawn               | *263 Perfect Match Red       |
| *049 Beige               | 101 Nimbus Gray        | *273 Process Magenta         |
| *054 Light Orange        | 103 Magenta            | 276 Bottle Green             |
| *056 Dark Green          | 105 Harvest Gold       | 293 Atomic Red               |
| 058 Burgundy             | 107 Light Blue         | 307 Dark Aqua                |
| 059 Putty                | *117 Persian Blue      | 357 Bermuda Blue             |
|                          |                        | 397 Dark Blue                |

\* Indicates gray-pigmented adhesive; all other adhesive is clear





Lumina 2100 Series is a premium quality, flexible, solid and metallic opaque gloss vinyl film designed for use in architectural signage, striping, transportation graphics and general sign markings. This series offers exceptional value for applications requiring extended durability. To order punched material, use part number 2200.

Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Added opacity
<b>Outdoor Durability:</b>	9 years Opaque, 6 years Metallics
<b>Adhesive / Color:</b>	Permanent / Clear Acrylic (Exceptions Noted)
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Curves, Rivets, Corrugations, and Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

2100 (Unpunched)				
Part No.	Roll Size	BWC	Color	Metallics
** -6015	60"x50Yds	1,224.19	1,359.17	1,699.46
** -6003	60"x10Yds	306.05	339.79	424.87
** -6002	60"x5Yds	214.23	237.86	297.42
-4815	48"x50Yds	979.68	1,087.79	1,359.57
-4803	48"x10Yds	244.92	271.94	339.90
-4802	48"x5Yds	171.44	190.36	237.93
-3915	39"x50Yds	964.99	1,071.47	1,339.18
-3903	39"x10Yds	241.25	267.87	334.79
-3902	39"x5Yds	168.87	187.51	234.36
-3615	36"x50Yds	950.29	1,055.16	1,318.80
-3603	36"x10Yds	237.57	263.79	329.70
-3602	36"x5Yds	166.30	184.65	230.79
-3015	30"x50Yds	645.13	691.27	846.04
-3003	30"x10Yds	143.36	172.81	211.52
-2415	24"x50Yds	485.65	548.03	666.82
-2403	24"x10Yds	115.63	124.56	166.71
-2015	20"x50Yds	404.71	456.69	555.68
-2003	20"x10Yds	101.18	114.17	138.92
-1815	18"x50Yds	364.24	411.02	500.11
-1803	18"x10Yds	91.06	102.75	125.03
-1515	15"x50Yds	319.67	350.32	442.15
-1503	15"x10Yds	79.92	87.58	110.53
-8000	12"x12"	1.68	1.91	2.31
2200 (Punched)				
Part No.	Roll Size	BWC	Color	Metallics
* -3115	30"x50Yds	670.94	718.93	879.88
* -3103	30"x10Yds	149.10	179.73	219.98
-3015	30"x50Yds	670.94	718.93	879.88
-3003	30"x10Yds	149.10	179.73	219.98
-1515	15"x50Yds	332.45	364.33	459.83
-1503	15"x10Yds	83.11	91.08	114.95

Sizes less than 12" in width are part of the FDC Striping Program.

Please refer to your FDC Stripe Book for offering and offering

For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook

\* 1/2" punch pattern

\*\* Colors & Metallics: Available While Supplies Last

Colors Available

2100 Series

see next page

Colors Available

2100 Series Opaques

000 Clear	117 Real Teal	269 Warm Red
001 Red	122 Light Grey	270 Dark Forest Green
002 Gloss White	124 Fiesta Pink	276 Magenta
003 Gloss Black	125 Wild Cardinal Red	279 Saddle
009 Orange	126 Emerald Green	300 Matte Clear
011 Dark Blue	*130 Teal Blue	305 Blue
012 Burgundy	132 Azure Blue	306 Yellow
014 Tomato Red	133 Tangerine	314 Medium Blue
017 Sapphire Blue	*135 Dark Orchid	316 Dark Aqua
018 Olympic Blue	140 Intense Blue	323 Dark Yellow
026 Oyster	141 Shadow Blue	324 Dark Green
028 Dove Grey	142 Forest Green	325 Copenhagen Blue
040 Matte Black	171 Teal	327 Slate Grey
049 Matte White	174 Taupe	331 Golden Yellow
052 Dark Grey	178 Sand Pebble	334 Apple Red
*056 Hot Pink	180 Terra Cotta	337 Deep Purple
058 Dark Magenta	181 Willow Green	338 Light Navy Blue
060 Bright Cardinal Red	182 Sunbeam Yellow	339 Wedgewood Blue
061 Kelly Green	208 Brown	342 Medium Burgundy
067 Primrose Yellow	210 Dark Slate	347 Vibrant Green (White Adhesive)
068 Beige	232 Fire Red (Grey Adhesive)	348 Camel
069 Apple Green	239 Majestic Blue	350 Medium Grey
074 Royal Purple	*242 Medium Burgundy	353 Dark Bahama Blue
*075 Lavender	*246 Aquamarine	359 Imitation Gold
102 Crystal White	250 Sundried Tomato	408 Peacock Blue
106 Medium Green	*252 Sea	414 Raspberry
*107 Almond	*253 Lilac	418 Parchment
*113 Salmon Pink	257 Lime Green	434 Spectra Red
	259 Wineberry	448 Pumpkin Orange

2100 Series Metallics

004 Gold Metallic	*196 Garnet Metallic	318 Bright Gold Metallic
007 Silver Metallic	211 Bright Blue Metallic	319 Red Metallic
030 Dark Blue Metallic	*254 Bijou Red Metallic	320 Charcoal Metallic
041 Light Gold Metallic	261 Light Brown Metallic	343 Grand Blue Metallic
*045 Blue Metallic	264 Royal Purple Metallic	355 Broadway Bronze Metallic
121 Dark Charcoal Metallic	266 Electric Blue Metallic	356 Mountain Mist Metallic
*146 Steel Blue Metallic	286 Champagne Metallic	360 Dark Magenta Metallic
*165 Lavender Metallic	287 Light Sierra Metallic	420 Copper Metallic
*167 Forest Green Metallic	289 Periwinkle Metallic	427 Mist Blue Metallic
*190 Cool Water Metallic	291 Aquamarine Metallic	439 Burgundy Metallic
*192 Neptune Green Metallic	293 Seafoam Metallic	445 Light Rose Metallic
194 Pewter Metallic	295 Onyx Metallic	450 Dark Green Metallic

\* Available While Supplies Last



Lumina 2407 Series Premium Flexible Engineering Grade Reflective Film – This glass beaded retro-reflective vinyl film renders excellent reflectivity at night. This product is for fleet and vehicle markings where riveted and corrugated surfaces may be required. This film is highly resistant to the extremes of hot, cold, dry and humid weathering conditions. To order punched material, use part number 2457.

Key Features

<b>Film Technology:</b>	Retro-reflective
<b>Film Thickness:</b>	5.9 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	7 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	90# Layflat
<b>Conformability:</b>	Flat and simple curves, rivets and corrugations.
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	55 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

2407 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	2,142.69
-4803	48"x10Yds	535.67
-4802	48"x5Yds	374.97
-3915	39"x50Yds	2,110.55
-3903	39"x5Yds	527.64
-3902	39"x5Yds	369.35
-3615	36"x50Yds	2,078.41
-3603	36"x10Yds	519.60
-3602	36"x5Yds	363.72
-3015	30"x50Yds	1,339.16
-3003	30"x10Yds	334.79
-2415	24"x50Yds	1,071.34
-2403	24"x10Yds	267.84
-1815	18"x50Yds	803.51
-1803	18"x10Yds	200.88
-1515	15"x50Yds	669.58
-1503	15"x10Yds	167.40
-1502	15"x5Yds	117.18
-1215	12"X50Yds	535.67
2457 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	1,392.73
*-3103	30"x10Yds	348.18
-3015	30"x50Yds	1,392.73
-3003	30"x10Yds	348.18
-1515	15"x50Yds	696.37
-1503	15"x10Yds	174.09
-1502	15"x5Yds	121.86

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing. For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook

\* 1/2" punch pattern

-1508

Colors Available

2407 Series

001 Red	008 Brown
002 White	009 Orange
003 Black	011 Green
004 Gold	017 Sapphire Blue
005 Blue	060 Ruby Red
006 Yellow	



# 2409

## Lumina® Intermediate Utility Grade Reflective Film



Lumina 2409 Series Utility Grade Reflective Film - This utility grade reflective is for use in non-engineering grade applications. This film is intended for flat surfaces vehicle markings and striping. To order punched material, use part number 2459.

### Key Features

<b>Film Technology:</b>	Retro-reflective
<b>Film Thickness:</b>	5.9 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	5 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	90# Layflat
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	55 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

2409 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	1,949.29
-4803	48"x10Yds	487.32
-4802	48"x5Yds	341.13
-3915	39"x50Yds	1,920.05
-3903	39"x10Yds	480.01
-3902	39"x5Yds	336.01
-3615	36"x50Yds	1,890.81
-3603	36"x10Yds	472.70
-3602	36"x5Yds	330.89
-3015	30"x50Yds	1,218.29
-3003	30"x10Yds	304.57
-2415	24"x50Yds	974.65
-2403	24"x10Yds	243.66
-1815	18"x50Yds	730.98
-1803	18"x10Yds	182.75
-1515	15"x50Yds	609.15
-1503	15"x10Yds	152.29
2459 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	1,267.02
*-3103	30"x10Yds	316.76
-3015	30"x50Yds	1,267.02
-3003	30"x10Yds	316.76
-1515	15"x50Yds	633.51
-1503	15"x10Yds	158.38

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

\* 1/2" punch pattern

### Colors Available

#### 2409 Series

001 Red	006 Yellow
002 White	009 Orange
005 Blue	011 Green

FDC Graphic Films, Inc. - Confidential



# 2520

## Lumina® Premium Cast Translucent Film With Synthetic Liner



Lumina 2520 Series Premium Cast Translucent Film with Synthetic Liner - This high performance cast translucent film is engineered with excellent weathering and aging characteristics. This film is best used in backlit applications that require excellent, even color illumination with flexibility for sign faces and awnings. This film can also be used on glass, acrylic and polycarbonate sign faces or window substrates. Lumina 2520 Series features a synthetic liner that offers greater dimensional stability and easier application when using a wet application technique. To order punched material, use part number 2570.

### Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	7 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Synthetic
<b>Conformability:</b>	Flat and simple curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	60 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

2520 (Unpunched)		
Part No.	Roll Size	All
-4815	48"X50Yds	1,760.37
-4803	48"X10Yds	440.09
-4802	48"X5Yds	308.06
-3915	39"X50Yds	1,733.97
-3903	39"X10Yds	433.49
-3902	39"X5Yds	302.54
-3615	36"X50Yds	1,707.56
-3603	36"X10Yds	426.89
-3602	36"X5Yds	297.93
-3015	30"X50Yds	1,100.23
-3003	30"X10Yds	275.06
-3002	30"X5Yds	192.54
-2415	24"X50Yds	880.19
-2403	24"X10Yds	220.05
-2402	24"X5Yds	154.03
-1815	18"X50Yds	660.14
-1803	18"X10Yds	165.03
-1802	18"X5Yds	115.52
-1515	15"X50Yds	550.12
-1503	15"X10Yds	137.53
-1502	15"X5Yds	96.27
-8000	12"x12"	2.97
2570 (Punched)		
Part No.	Roll Size	All
*-3115	30"X50Yds	1,144.24
*-3103	30"X10Yds	286.06
*-3102	30"X5Yds	200.24
-3015	30"X50Yds	1,144.24
-3003	30"X10Yds	286.06
-3002	30"X5Yds	200.24
-1515	15"X50Yds	572.12
-1503	15"X10Yds	143.03
-1502	15"X5Yds	100.12

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook

\* 1/2" punch pattern

Colors Available  
2520 Series

see next page

Colors Available

## 2520 Series

006 Mango	069 Duranodic
014 Tomato Red	073 Dark Red
015 Yellow	077 Dark Blue
017 Cobalt Blue	087 Royal Blue
018 Olympic Blue	108 Light Baby Blue
020 White	125 Scarlet Red
021 Ivory	126 Vivid Green
024 Holly Green	130 Pacific Blue
026 Green	133 Magenta
033 Red	155 Plum Purple
040 Black	162 Teal
044 Orange	172 Poppy Red
049 Burgundy	173 Process Blue
054 Charcoal	197 Silver Grey
059 Dark Brown	198 Vivid Rose
067 Bright Blue	



2600

R Tape 4075 ApliTape™: High Tack, Standard Paper



FDC 2600 Series is R Tape 4075 ApliTape™ series application tape. This product is a standard weight paper with a high tack adhesive. Uses include: small to medium size lettering & graphics, hard to lift vinyls, and wet applications.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil.

**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No

**Adhesive / Color:** High-Tack Removable  
 Natural Rubber / Clear

**Liner:** No  
**Conformability:** Conforms to most surfaces.

**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**  
 Wet Apply: No

Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

2600				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
*-6030	60"x100Yds	412.56	412.56	1.00
*-5430	54"x100Yds	371.30	371.30	1.00
*-4830	48"x100Yds	330.05	330.05	1.00
-3630	36"x100Yds	247.54	247.54	1.00
-3030	30"x100Yds	206.28	206.28	1.00
-2430	24"x100Yds	186.15	186.15	1.00
-2030	20"x100Yds	155.13	155.13	1.00
-1830	18"x100Yds	139.61	139.61	1.00
-1630	16"x100Yds	124.10	124.10	1.00
-1530	15"x100Yds	116.35	116.35	1.00
-1430	14"x100Yds	108.59	108.59	1.00
-1229	12"x100Yds	93.08	93.08	1.00
-1030	10-1/2"x100Yds	81.44	81.44	1.00
-0830	8-1/2"x100Yds	65.93	65.93	1.00
-0630	6-1/2"x100Yds	50.42	100.83	2.00
-0430	4-1/4"x100Yds	32.96	98.89	3.00
-0330	3-1/4"x100Yds	25.21	75.62	3.00
-0230	2-1/4"x100Yds	17.45	87.26	5.00
-0130	1-1/4"x100Yds	9.70	87.26	9.00

\* Special Order Only

Colors Available

2600 Series

002 White



2601

R Tape 4050 ApliTape™: Medium Tack, Standard Paper



FDC 2601 Series is R Tape 4050 ApliTape™ series application tape. This product is a standard weight paper with a medium tack adhesive. Uses include: medium to large size lettering & graphics, fleet graphics, and wet applications.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** Medium-Tack Removable / Clear.  
**Liner:** No  
**Conformability:** Conforms to most surfaces.

Ordering Information

2601				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
*-6030	60"x100Yds	412.57	412.57	1.00
*-5430	54"x100Yds	371.31	371.31	1.00
-4830	48"x100Yds	330.06	330.06	1.00
-3630	36"x100Yds	247.54	247.54	1.00
-3030	30"x100Yds	206.29	206.29	1.00
-2430	24"x100Yds	165.03	165.03	1.00
-2030	20"x100Yds	137.52	137.52	1.00
-1830	18"x100Yds	123.77	123.77	1.00
-1630	16"x100Yds	110.02	110.02	1.00

\* Special Order Only

Processing:

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

Shelf Life:

1 Year

Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

Installation:

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

2601 Series

002 White





FDC 2602 Series is R Tape 4000 Apli Tape™ series application tape. This product is a standard weight paper with a low tack adhesive. Uses include: premask for large graphics, protection of metal surfaces, sign faces and digital prints.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** Low-Tack Removable / Clear

Ordering Information

2602				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
*-4830	48"x100Yds	330.06	330.06	1.00
-4815	48"x50Yds	196.99	196.99	1.00
-2415	24"x50Yds	112.16	112.16	1.00
-1515	15"x50Yds	68.47	68.47	1.00
-1215	12"x50Yds	57.96	57.96	1.00
-0815	8"x50Yds	37.38	37.38	1.00

\* Special Order Only

See Page 105 for the Premask Upcharge Chart

**Liner:** No  
**Conformability:** Conforms to most surfaces.

**Processing:**

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

2602 Series

002 White



FDC 2612 Series is R Tape AT60n Clear Choice® series application tape. This product is a clear film with a low tack adhesive. Uses include: registration of multi-color overlays, general purpose and wet applications.

Key Features

<b>Film Technology:</b>	Clear Polypropylene
<b>Film Thickness:</b>	3.5 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	Low-Tack Removable / Clear
<b>Liner:</b>	No
<b>Conformability:</b>	Conforms to most surfaces
<b>Processing:</b>	
Computer Cut:	No
Steel Rule:	No
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	Yes / Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

2612				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-4830	48"x100Yds	337.46	337.46	1.00
-3630	36"x100Yds	253.10	253.10	1.00
-3030	30"x100Yds	210.91	210.91	1.00
-2430	24"x100Yds	168.73	168.73	1.00
-2030	20"x100Yds	140.61	140.61	1.00
-1830	18"x100Yds	126.55	126.55	1.00
-1630	16"x100Yds	112.49	112.49	1.00
-1530	15"x100Yds	105.46	105.46	1.00
-1430	14"x100Yds	98.43	98.43	1.00
-1229	12"x100Yds	84.37	84.37	1.00
-1030	10-1/2"x100Yds	73.82	73.82	1.00
-0830	8-1/2"x100Yds	59.76	59.76	1.00
-0630	6-1/2"x100Yds	45.70	91.40	2.00
-0530	5-1/4"x100Yds	36.91	73.82	2.00
-0430	4-1/4"x100Yds	29.88	89.64	3.00
-0330	3-1/4"x100Yds	22.85	68.55	3.00
-0230	2-1/4"x100Yds	15.82	79.09	5.00

See Page 105 for the Premask Upcharge Chart

Colors Available

2612 Series

000 Clear



2614

R Tape 4075 RLA® Conform®: High Tack, Standard Paper



FDC 2614 Series is R Tape 4075 RLA® Conform® series application tape. This product is a standard weight paper with a high tack adhesive. Uses include: small to medium size lettering & graphics, hard to lift vinyls, and wet applications. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil.

**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No

**Adhesive / Color:** High Tack Removable / Clear

**Liner:** No  
**Conformability:** Conforms to most surfaces.

**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**  
 Wet Apply: No

Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

2614				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-6030	60"x100Yds	425.72	425.72	1.00
-5430	54"x100Yds	383.15	383.15	1.00
-4830	48"x100Yds	340.58	340.58	1.00
-3630	36"x100Yds	255.43	255.43	1.00
-3030	30"x100Yds	212.86	212.86	1.00
-2430	24"x100Yds	170.29	170.29	1.00
-2030	20"x100Yds	141.91	141.91	1.00
-1830	18"x100Yds	127.72	127.72	1.00
-1630	16"x100Yds	113.53	113.53	1.00
-1530	15"x100Yds	106.43	106.43	1.00
-1430	14"x100Yds	99.34	99.34	1.00
-1229	12"x100Yds	85.14	85.14	1.00
-1030	10-1/2"x100Yds	74.50	74.50	1.00
-0830	8-1/2"x100Yds	60.31	60.31	1.00
-0630	6-1/2"x100Yds	46.12	92.24	2.00
-0530	5-1/4"x100Yds	37.25	74.50	2.00
-0430	4-1/4"x100Yds	30.16	90.47	3.00
-0330	3-1/4"x100Yds	23.06	69.18	3.00
-0230	2-1/4"x100Yds	15.96	79.82	5.00
-0130	1-1/4"x100Yds	8.87	79.82	9.00

See Page 105 for the Premask Upcharge Chart

Colors Available

2614 Series

002 White



# 2615

## R Tape 4050 RLA® Conform®: Medium Tack, Standard Paper



FDC 2615 Series is R Tape 4050 RLA® Conform® series application tape. This product is a standard weight paper with a medium tack adhesive. Uses include: medium to large size lettering & graphics, fleet graphics, and wet applications. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

### Key Features

<b>Film Technology:</b>	Standard Paper
<b>Film Thickness:</b>	4.5 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	Medium-Tack Removable / Clear
<b>Liner:</b>	No
<b>Conformability:</b>	Conforms to most surfaces.
<b>Processing:</b>	
Computer Cut:	No
Steel Rule:	No
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	Yes / Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

2615				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
*-5430	54"x100Yds	383.15	383.15	1.00
-4830	48"x100Yds	340.58	340.58	1.00
-3630	36"x100Yds	255.43	255.43	1.00
-3030	30"x100Yds	212.86	212.86	1.00
-2430	24"x100Yds	170.29	170.29	1.00
-2030	20"x100Yds	141.91	141.91	1.00
-1830	18"x100Yds	127.72	127.72	1.00
-1630	16"x100Yds	113.53	113.53	1.00
-1530	15"x100Yds	106.43	106.43	1.00
-1430	14"x100Yds	99.34	99.34	1.00
-1229	12"x100Yds	85.14	85.14	1.00
-1030	10-1/2"x100Yds	74.50	74.50	1.00
-0830	8-1/2"x100Yds	60.31	60.31	1.00
-0630	6-1/2"x100Yds	46.12	92.24	2.00
-0430	4-1/4"x100Yds	30.16	90.47	3.00
-0330	3-1/4"x100Yds	23.06	69.18	3.00
-0230	2-1/4"x100Yds	15.96	79.82	5.00
** -0130	1-1/4"x100Yds	8.87	79.82	9.00

\* Special Order Only

\*\* Discontinued, Available While Supplies Last

### Colors Available

2615 Series

002 White

FDC Graphic Films, Inc. - Confidential



2616

R Tape 4775 RLA® Conform®: High Tack, Premium Paper



FDC 2616 Series is R Tape 4775 RLA® Conform® series application tape. This product is a premium weight paper with a high tack adhesive. Uses include: small to medium size lettering & graphics, hard to lift vinyls, application over rivets & corrugations, and humid environments or wet applications. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

Film Technology: Premium Paper
Film Thickness: 5.5 mil.
Finish: Matte
Blockout: No
Outdoor Durability: No
Adhesive / Color: High-Tack Removable / Clear
Liner: No
Conformability: Conforms to most surfaces.

Ordering Information

Table with 5 columns: Part No., Roll Size, each roll, per sleeve, roll qty / sleeve. Rows include part numbers -4830, -3030, -2430, \*-1830, -1630, \*-1430, -1229 and their corresponding roll sizes and prices.

\* Discontinued, Available While Supplies Last

Processing:

Computer Cut: No
Steel Rule: No
Thermal Die: No
Flat Bed: No
Sheetable: No
Laminate: Yes / Cold

Shelf Life:

1 Year

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation:

Wet Apply: No

Minimum Application °F: 40 °F
Interior / Exterior: Interior and Exterior

Colors Available

2616 Series

002 White



2617

R Tape 4750 RLA® Conform®: Medium Tack, Premium Paper



FDC 2617 Series is R Tape 4750 RLA® Conform® series application tape. This product is a premium weight paper with a medium tack adhesive. Uses include: medium to large size lettering & graphics, application over rivets & corrugations, and humid environments or wet applications. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

**Film Technology:** Premium Paper  
**Film Thickness:** 5.5 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No

**Adhesive / Color:** Medium-Tack Removable / Clear

**Liner:** No  
**Conformability:** Conforms to most surfaces.

**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**  
 Wet Apply: No

Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

2617				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-4830	48"x100Yds	428.97	428.97	1.00

Colors Available

2617 Series

002 White



FDC 2621 Series is 3M™ Premasking Tape SCPM-3. This premask, specially formulated for large format screen printed and electronically cut graphics, eases application of larger graphics to substrates. It has a unique low-tack adhesive. Non-stock item.

Key Features

**Film Technology:** Paper  
**Film Thickness:** 5.0 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** Pressure Sensitive / Clear

**Liner:** No  
**Conformability:** Conforms to most surfaces

**Processing:**

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:**

1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: No

Minimum Application °F: Same As Film  
 Interior / Exterior: Interior and Exterior

Ordering Information

2621				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-6030	60"x100Yds	460.92	460.92	1.00
-4830	48"x100Yds	368.73	368.73	1.00
-3630	36"x100Yds	276.55	276.55	1.00
*-3030	30"x100Yds	230.46	230.46	1.00
-2430	24"x100Yds	184.37	184.37	1.00

\* Special order (2 roll minimum)

See Page 105 for the Premask Upcharge Chart

Colors Available

2621 Series

002 White



FDC 2624 Series is 3M™ Premasking Tape SCPM-44X. This low-tack application tape is specially formulated to ease the application of large graphics to substrates. When graphics are printed using 3M™ Screen Printing Ink 9700UV, this application tape is the ideal choice. Non-stock item.

Key Features

**Film Technology:** Paper  
**Film Thickness:** 5.0 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** Pressure Sensitive / Clear  
**Liner:** No  
**Conformability:** Conforms to most surfaces  
**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold  
**Shelf Life:** 1 Year  
**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No  
**Installation:**  
 Wet Apply: No  
 Minimum Application °F: Same As Film  
 Interior / Exterior: Interior and Exterior

Ordering Information

2624				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-4830	48"x100Yds	368.73	368.73	1.00
-3630	36"x100Yds	276.55	276.55	1.00
-3030	30"x100Yds	230.46	230.46	1.00
-2430	24"x100Yds	184.37	184.37	1.00

See Page 105 for the Premask Upcharge Chart

Colors Available

2624 Series

002 White





2627

R Tape 4076 RLA® Conform®: High Tack, Standard Paper



FDC 2627 Series is R Tape 4076 RLA® Conform® series application tape. This product is a standard weight paper with a high tack adhesive. Uses include: immediate transfer of very small or hard to lift lettering & graphics, hard to lift vinyls, and wet applications. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil

**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No

**Adhesive / Color:** High-Tack Removable / Clear

**Liner:** No  
**Conformability:** Conforms to most surfaces

**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**  
 Wet Apply: No

Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

2627				
Part No.	Roll Size	each		roll qty /
		roll	sleeve	sleeve
-4830	48"x100Yds	340.58	340.58	1.00
-3630	36"x100Yds	255.43	255.43	1.00
-3030	30"x100Yds	212.86	212.86	1.00
-2430	24"x100Yds	170.29	170.29	1.00
-2030	20"x100Yds	141.91	141.91	1.00
-1830	18"x100Yds	127.72	127.72	1.00
-1630	16"x100Yds	113.53	113.53	1.00
-1530	15"x100Yds	106.43	106.43	1.00
-1430	14"x100Yds	99.34	99.34	1.00
-1229	12"x100Yds	85.14	85.14	1.00
-1030	10-1/2"x100Yds	74.50	74.50	1.00
*-0830	8-1/2"x100Yds	60.31	60.31	1.00

\* Discontinued. Available While Supplies Last.

Colors Available  
2627 Series

002 White



FDC 2659 Series is R Tape AT75 Clear Choice® application Tape. This product is a Transparent, heavy-gauge, embossed polypropylene film with none-yellowing, high tack modified acrylic adhesive. Provides bubble-free lamination to vinyl graphics. Does not wrinkle or stretch like some other film tapes. Transparent, non-glare film provides easier registration and overlay work

Key Features

**Film Technology:** Clear Polypropylene  
**Film Thickness:** 5.7 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** High-Tack Removable / Clear  
**Liner:** No  
**Conformability:** Conforms to most surfaces  
**Processing:**  
    Computer Cut: No  
    Steel Rule: No  
    Thermal Die: No  
    Flat Bed: No  
    Sheetable: No  
    Laminate: Yes / Cold  
**Shelf Life:** 1 Year  
**Printing:**  
    Thermal Transfer: No  
    Solvent / Eco Solvent: No  
    Latex: No  
    UV Inkjet: No  
    Screen: No  
**Installation:**  
    Wet Apply: No  
  
    Minimum Application °F: 40 °F  
    Interior / Exterior: Interior and Exterior

Ordering Information

2659				
Part No.	Roll Size	each		roll qty /
		roll	sleeve	sleeve
-4830	48"x100Yds	379.09	379.09	1.00
-3630	36"x100Yds	284.32	284.32	1.00
-3030	30"x100Yds	236.93	236.93	1.00
-2430	24"x100Yds	189.55	189.55	1.00
-2030	20"x100Yds	157.95	157.95	1.00
-1830	18"x100Yds	142.16	142.16	1.00
-1630	16"x100Yds	126.36	126.36	1.00
-1530	15"x100Yds	118.47	118.47	1.00
-1430	14"x100Yds	110.57	110.57	1.00
-1229	12"x100Yds	94.77	94.77	1.00
-1030	10-1/2"x100Yds	82.93	82.93	1.00
-0830	8-1/2"x100Yds	67.13	67.13	1.00
-0630	6-1/2"x100Yds	51.34	102.67	2.00
-0530	5-1/4"x100Yds	41.46	82.93	2.00
-0430	4-1/4"x100Yds	33.57	100.70	3.00
-0330	3-1/4"x100Yds	25.67	77.00	3.00
-0230	2-1/4"x100Yds	17.77	88.85	5.00

Colors Available

2659 Series

000 Clear



2664

R Tape 4078 RLA® Conform®: Medium Tack, Standard Paper



FDC 2664 Series is R Tape 4078 RLA® Conform® series application tape. This product is a standard weight paper with a medium tack adhesive. It is designed to transfer difficult to lift graphics from release liners with a tight release. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

**Film Technology:** Standard Paper  
**Film Thickness:** 4.5 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No  
**Adhesive / Color:** Medium-Tack Removable / Clear  
**Liner:** No  
**Conformability:** Conforms to most surfaces

Ordering Information

2664				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-4830	48"x100Yds	363.72	363.72	1.00
-3030	30"x100Yds	227.32	227.32	1.00
-2430	24"x100Yds	181.86	181.86	1.00
-1430	14"x100Yds	106.08	106.08	1.00
-1229	12"x100Yds	90.93	90.93	1.00
-0630	6-1/2"x100Yds	49.25	98.51	2.00

Processing:

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

Shelf Life:

1 Year

Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

Installation:

Wet Apply: No

Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

Colors Available

2664 Series

002 White



2665

R Tape 4761 RLA® Conform®: High Tack, Heavy Weight Paper



FDC 2665 Series is R Tape 4761 RLA® Conform series application tape. This product is a heavy weight paper with a high tack adhesive. It is designed to adhere to embossed liners of air egress films. RLA® (Release Liner Adhesion) offers improved adhesion to release liners, providing superior lay flat to prevent tunneling and edge curling.

Key Features

Film Technology: Premium Paper
Film Thickness: 4.1 mil.
Finish: Matte
Blockout: No
Outdoor Durability: No

Ordering Information

Table with 5 columns: Part No., Roll Size, each roll, per sleeve, roll qty / sleeve. Rows include part numbers -4830, \*-3630, and \*-2430 with their respective roll sizes and pricing.

\* Special Order

Adhesive / Color: High-Tack Removable / Clear

Liner: No
Conformability: Conforms to most surfaces

Processing:

Computer Cut: No
Steel Rule: No
Thermal Die: No
Flat Bed: No
Sheetable: No
Laminate: Yes / Cold

Shelf Life: 1 Year

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation: No

Wet Apply: No

Minimum Application °F: 40 °F
Interior / Exterior: Interior / Exterior

Colors Available

2665 Series

002 White



FDC Series 2667 is RTape AT65 Clear Choice® series application tape. This product is a clear film with a high tack adhesive. AT65's higher tack adhesive system is especially well-suited in transferring small computer-cut copy and fine detail. It is also recommended for transferring vinyl films, which utilize release liners with a tighter release, or RTape VinylEfx® metallized films.

Key Features

**Film Technology:** Clear Polypropylene  
**Film Thickness:** 3.5 mil.  
**Finish:** Matte  
**Blockout:** N/A  
**Outdoor Durability:** No  
**Adhesive / Color:** High-Tack Removable / Clear  
**Liner:** No  
**Conformability:** Conforms to most surfaces  
**Processing:**  
 Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold  
**Shelf Life:** 1 Year  
**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No  
**Installation:** No  
 Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

Ordering Information

2667				
Part No.	Roll Size	each roll	per sleeve	roll qty / sleeve
-4830	48"X100Yds	337.46	337.46	1.00
-4815	48"X500Yds	223.48	223.48	1.00
-3630	36"X100Yds	253.09	253.09	1.00
-3030	30"X100Yds	210.91	210.91	1.00
-2430	24"X100Yds	168.73	168.73	1.00
-2030	20"X100Yds	140.61	140.61	1.00
-1830	18"X100Yds	126.56	126.56	1.00
-1630	16"X100Yds	112.50	112.50	1.00
-1530	15"X100Yds	105.46	105.46	1.00
-1430	14"X100Yds	98.43	98.43	1.00
-1229	12"X100Yds	84.37	84.37	1.00
-1030	10-1/2"X100Yds	73.82	73.82	1.00
-0830	8-1/2"X100Yds	59.76	59.76	1.00
-0630	6-1/2"X100Yds	45.70	91.40	2.00
-0530	5-1/4"X100Yds	36.92	73.84	2.00
-0430	4-1/4"X100Yds	29.88	89.64	3.00
-0330	3-1/4"X100Yds	22.85	68.55	3.00
-0230	2-1/4"X100Yds	15.82	79.09	5.00

Colors Available  
2667 Series

000 Clear



Lumina 2668 Series is an application tape designed for use in the production of craft and hobby graphics. It features a one inch pattern grid marked face for quick alignment, an unprinted white liner for easy application and a high tack adhesive for use on a wide variety of graphics.

Key Features

**Film Technology:** Paper  
**Film Thickness:** 4.5 mil.  
**Finish:** Matte  
**Blockout:** N/A  
**Outdoor Durability:** No

Ordering Information

2668				
Part No.	Roll Size	each roll	Minimum Order	Order Increment
-4815	48"X50Yds	507.04	N/A	N/A
-2415	24"X50Yds	299.15	2 rolls	2 rolls
-1215	12"X50Yds	176.50	4 rolls	4 rolls
-0815	8"X50Yds	135.31	6 rolls	6 rolls

**Adhesive / Color:** High-Tack Removable / Clear

**Liner:** 78# Kraft  
**Conformability:** Conforms to most surfaces

**Processing:**

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

Colors Available

2668 Series

032 White/Red Grid



Lumina 2670 Series is a clear application tape designed for use in the production of craft and hobby graphics. It features a one inch pattern grid marked face for quick alignment, an unprinted blue liner for easy application and a medium tack adhesive for use on a wide variety of graphics.

Key Features

**Film Technology:** Clear Polypropylene  
**Film Thickness:** 4.0 mil.  
 Clear  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** No

Ordering Information

2670				
Part No.	Roll Size	each roll	Minimum Order	Order Increment
-4815	48"X50Yds	425.60	N/A	N/A
-2415	24"X50Yds	251.10	2 rolls	2 rolls
-1215	12"X50Yds	148.15	4 rolls	4 rolls
-0815	8"X50Yds	113.57	6 rolls	6 rolls

**Adhesive / Color:** Medium-Tack Removable / Clear

**Liner:** 78# Blue Kraft Paper  
**Conformability:** Conforms to most surfaces

**Processing:**

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

Colors Available

2670 Series

057 Clear/Blue Grid



# 2800

## Lumina® Promotional Metallized Mirror Finish Polyester Film



Lumina 2800 Series Promotional Metallized Mirror Finish Polyester Film – This is a top-coated metallized polyester with a mirror finish. This product has both the brilliance and luster of a bright metal finish and is ideal for window and automotive graphics as well as P.O.P., short-term signage and displays. Silver is for both interior and exterior. Gold is only for interior use. To order punched material, use part number 2850.

### Key Features

<b>Film Technology:</b>	PET
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Mirror
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	2 Years (Gold N/A)
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	No
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	50 °F
Interior / Exterior:	Gold Interior Silver Interior & Exterior

### Ordering Information

2800 (Unpunched)			
Part No.	Roll Size	Gold	Silver
-6015	60"x50Yds	1,537.20	910.60
-6003	60"x10Yds	384.30	227.65
-6002	60"x5Yds	269.01	159.36
-5415	54"x50Yds	1,514.14	896.94
-5403	54"x10Yds	378.54	224.24
-5402	54"x5Yds	264.97	156.96
-4815	48"x50Yds	1,345.90	797.28
-4803	48"x10Yds	313.00	185.41
-4802	48"x5Yds	219.10	129.79
-3915	39"x50Yds	1,325.71	785.32
-3903	39"x10Yds	308.31	182.63
-3902	39"x5Yds	215.81	127.84
-3615	36"x50Yds	1,305.53	773.36
-3603	36"x10Yds	303.61	179.85
-3602	36"x5Yds	212.53	125.90
-3015	30"x50Yds	726.63	463.61
-3003	30"x10Yds	173.01	128.78
-2415	24"x50Yds	583.25	403.87
-2403	24"x10Yds	142.26	100.97
-2015	20"x50Yds	486.04	336.56
-2003	20"x10Yds	121.51	84.14
-1515	15"x50Yds	377.73	238.14
-1503	15"x10Yds	94.43	72.16
2850 (Punched)			
Part No.	Roll Size	Gold	Silver
*-3115	30"x50Yds	755.70	482.16
*-3103	30"x10Yds	179.93	133.93
-3015	30"x50Yds	755.70	482.16
-3003	30"x10Yds	179.93	133.93
-1515	15"x50Yds	392.84	247.66
-1503	15"x10Yds	98.21	75.05

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

\* 1/2" punch pattern

### Colors Available

2800 Series

- 004 Gold
- 007 Silver





Lumina 2801 Series Metallized Brushed Finish Polyester Film - This is a metallized polyester with a brushed finish. This product is ideal for decorative trim, nameplates, P.O.P., short-term signage and a variety of other applications that require a brushed metallized appearance. To order punched material, use part number 2851.

Key Features

<b>Film Technology:</b>	PET
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Brushed
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	2 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	94# Bleach Kraft
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	50 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

2801 (Unpunched)			
Part No.	Roll Size	Gold	Silver
-5415	54"x50Yds	1,500.63	1,412.43
-5403	54"x10Yds	375.16	353.11
-5402	54"x5Yds	262.61	247.18
-4815	48"x50Yds	1,333.89	1,255.49
-4803	48"x10Yds	333.47	313.87
-4802	48"x5Yds	233.43	219.71
-3915	39"x50Yds	1,313.88	1,236.66
-3903	39"x10Yds	328.47	309.17
-3902	39"x5Yds	229.93	216.42
-3615	36"x50Yds	1,293.88	1,217.83
-3603	36"x10Yds	323.47	304.46
-3602	36"x5Yds	226.43	213.12
-3015	30"x50Yds	749.13	708.10
-3003	30"x10Yds	187.28	177.02
-2415	24"x50Yds	692.90	612.57
-2403	24"x10Yds	157.48	153.14
-1915	19"x50Yds	548.55	484.95
-1903	19"x10Yds	137.14	121.24
-1515	15"x50Yds	376.26	382.49
-1503	15"x10Yds	94.06	95.62
2851 (Punched)			
Part No.	Roll Size	Gold	Silver
*-3115	30"x50Yds	779.10	736.42
*-3103	30"x10Yds	194.77	184.11
-3015	30"x50Yds	779.10	736.42
-3003	30"x10Yds	194.77	184.11
-1515	15"x50Yds	391.31	397.79
-1503	15"x10Yds	97.83	99.45

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
\* 1/2" punch pattern

Colors Available  
2801 Series

- 004 Gold
- 007 Silver



2802

Avery Dennison® SF100 Polyester Double Sided Mirror Film



FDC 2802 Series is Avery Dennison® SF100 Polyester Double Sided Mirror Film. This product is a high gloss metallized film. It is top coated for excellent print receptivity and provides the appearance of smooth gold on both sides. To order punched material, use part number 2852.

Key Features

<b>Film Technology:</b>	PET
<b>Film Thickness:</b>	1.0 mil.
<b>Finish:</b>	Mirror
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	1 Year
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	N/A
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	60 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

2802 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	2,681.67
-4803	48"x10Yds	623.64
-4802	48"x5Yds	436.55
-3915	39"x50Yds	2,641.44
-3903	39"x10Yds	614.30
-3902	39"x5Yds	430.01
-3615	36"x50Yds	2,601.22
-3603	36"x10Yds	604.93
-3602	36"x5Yds	423.45
-3015	30"x50Yds	1,627.85
-3003	30"x10Yds	378.56
-2415	24"x50Yds	1,191.11
-2403	24"x10Yds	264.69
-1815	18"x50Yds	893.33
-1803	18"x10Yds	223.34
-1515	15"x50Yds	823.10
-1503	15"x10Yds	191.42
-1215	12"x50Yds	700.95
-1203	12"x10Yds	169.20
-1015	10"x50Yds	587.21
-1003	10"x10Yds	144.39
-0815	8"x50Yds	473.50
-0803	8"x10Yds	119.58
-0615	6"x50Yds	359.79
-0603	6"x10Yds	94.74
-0515	5"x50Yds	302.92
-0415	4"x50Yds	246.07
-0315	3"x50Yds	189.21
-0215	2"x50Yds	132.36
-0115	1"x50Yds	75.48
-3450	3/4"x50Yds	59.07
-1250	1/2"x50Yds	43.43
-3850	3/8"x50Yds	35.33
-1450	1/4"x50Yds	27.21
2852 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	1,692.96
*-3103	30"x10Yds	393.71
-3015	30"x50Yds	1,692.96
-3003	30"x10Yds	393.71
-1515	15"x50Yds	856.02
-1503	15"x10Yds	199.08

Colors Available  
2802 Series

004 Gold

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

\* 1/2" punch pattern



# 2808

## ASLAN Metal Effect Films: Double Sided Mirror, Dryapply



FDC 2808 Series is ASLAN CA 23 metal effects film double sided mirror, Dryapply. This product is a polyester film designed for glass decoration. It features a 2 sided gold or silver mirror appearance with ASLAN's unique Dryapply air egress adhesive system for easy application.

### Key Features

**Film Technology:** Polyester  
**Film Thickness:** 2.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 2 Years

### Ordering Information

2808 (2858 Punched)			
Part No.	Roll Size	Gold	Silver
-4809	48"x82FT	947.60	902.46
-4805	48"x41FT	473.79	451.24
-2409	24"x82FT	473.79	451.24
-2405	24"x41FT	236.90	225.61
-1509	15"x82FT	473.79	451.24

**Adhesive / Color:** Permanent / Clear

**Liner:** Silicone Coated Paper  
**Conformability:** Flat Surfaces

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 2 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

### Installation:

Wet Apply: No  
 Minimum Application °F: 59 °F  
 Interior / Exterior: Interior and Exterior

### Colors Available

2808 Series

004 Gold

007 Silver

\*224 Rose Gold (only offered in 48"x82')

\* Special order if no stock available



# 2824

## R Tape VinylEfx®: Metal Flake, Decorative Series



FDC 2824 Series is R Tape VinylEfx® Metal Flake pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2874.

### Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No

**Adhesive / Color:** Permanent / Clear

**Liner:** 88# Layflat  
**Conformability:** Flat surfaces

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

### Ordering Information

2824 (Unpunched)			
Part No.	Roll Size	Silver	Colors
-4815	48"x50Yds	851.85	N/A
-4803	48"x10Yds	204.44	N/A
-4802	48"x5Yds	142.50	N/A
-2415	24"x50Yds	425.94	526.61
-2403	24"x10Yds	102.23	130.10
-2402	24"x5Yds	71.25	91.38
-1515	15"x50Yds	425.94	526.61
-1503	15"x10Yds	102.23	130.10
-1502	15"x5Yds	71.25	91.38
2874 (Punched)			
Part No.	Roll Size	Silver	Colors
-1515	15"x50Yds	442.98	547.67
-1503	15"x10Yds	106.32	135.31
-1502	15"x5Yds	74.10	95.04

### Colors Available

2824 Series

- 004 Gold (D-C202)
- 007 Silver (D-C201) (Printable)



2826

R Tape VinylEfx®: Smooth Mirror, Decorative Series



FDC 2826 Series is R Tape VinylEfx® Smooth Mirror pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2876.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 88# Layflat  
**Conformability:** Flat surfaces  
**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold  
**Shelf Life:** 1 Year  
**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes  
**Installation:**  
 Wet Apply: No  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

Smooth Mirror Finish			
2826 (Unpunched)			
Part No.	Roll Size	Silver	Colors
-5415	54"x50Yds	867.34	1,027.97
-5403	54"x10Yds	224.87	266.63
-4815	48"x50Yds	766.21	915.25
-4803	48"x10Yds	199.88	236.70
-4802	48"x5Yds	139.92	164.11
-2415	24"x50Yds	383.10	457.62
-2403	24"x10Yds	99.94	118.35
-2402	24"x5Yds	69.96	82.06
-1515	15"x50Yds	383.10	457.62
-1503	15"x10Yds	99.94	118.35
-1502	15"x5Yds	69.96	82.06
2876 (Punched)			
Part No.	Roll Size	Silver	Colors
-1515	15"x50Yds	398.43	475.93
-1503	15"x10Yds	103.94	123.08
-1502	15"x5Yds	72.76	85.34

Colors Available

- 2826 Series - Smooth Mirror Finish
- 104 Smooth Mirror Gold (Printable)
- 107 Smooth Mirror Silver (Printable)
- 224 Smooth Mirror Rose Gold (Printable) [not available in 54"]



FDC 2826 Series is R Tape VinylEfx® Fine Brush pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2876.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 88# Layflat  
**Conformability:** Flat surfaces  
**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold  
**Shelf Life:** 1 Year  
**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes  
**Installation:**  
 Wet Apply: No  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

Fine Brushed Finish			
2826 (Unpunched)			
Part No.	Roll Size	Silver	Colors
-5415	54"x50Yds	867.34	1,027.97
-5403	54"x10Yds	224.87	266.63
-4815	48"x50Yds	766.21	915.25
-4803	48"x10Yds	199.88	236.70
-4802	48"x5Yds	139.92	164.11
-2415	24"x50Yds	383.10	457.62
-2403	24"x10Yds	99.94	118.35
-2402	24"x5Yds	69.96	82.06
-1515	15"x50Yds	383.10	457.62
-1503	15"x10Yds	99.94	118.35
-1502	15"x5Yds	69.96	82.06
2876 (Punched)			
Part No.	Roll Size	Silver	Colors
-1515	15"x50Yds	398.43	475.93
-1503	15"x10Yds	103.94	123.08
-1502	15"x5Yds	72.76	85.34

Colors Available

2826 Series - Brushed Finish

- \*120 Fine Brushed Satin Copper (Printable)
- 207 Fine Brushed Silver (Printable)
- \*286 Fine Brushed Champagne (Printable)
- 324 Fine Brushed Rose Gold (Printable)

\* Discontinued color. Available while supplies last.



FDC 2826 Series is R Tape VinylEfx® Florentine Leaf pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2876.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 88# Layflat  
**Conformability:** Flat surfaces

Ordering Information

Florentine Leaf Finish		
2826 (Unpunched)		
Part No.	Roll Size	Gold
-2415	24"x50Yds	457.62
-2403	24"x10Yds	118.35
-2402	24"x5Yds	82.06
-1515	15"x50Yds	457.62
-1503	15"x10Yds	118.35
-1502	15"x5Yds	82.06
2876 (Punched)		
Part No.	Roll Size	Gold
-1515	15"x50Yds	475.93
-1503	15"x10Yds	123.08
-1502	15"x5Yds	85.34

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:**

1 Year

**Printing:**

Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**

Wet Apply: No  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

2826 Series - Leaf Finish  
 004 Florentine Leaf Gold (D-4402)



FDC 2827 Series is R Tape VinylEfx® Diamond Plate™ pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2877.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No

**Adhesive / Color:** Permanent / Clear

**Liner:** 88# Layflat  
**Conformability:** Flat surfaces

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

2827 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	867.90
-4803	48"x10Yds	208.29
-4802	48"x5Yds	145.18
-2415	24"x50Yds	433.97
-2403	24"x10Yds	104.15
-2402	24"x5Yds	72.59
-1515	15"x50Yds	433.97
-1503	15"x10Yds	104.15
-1502	15"x5Yds	72.59
2877 (Punched)		
Part No.	Roll Size	All
-1515	15"x50Yds	451.32
-1503	15"x10Yds	108.32
-1502	15"x5Yds	75.49

Colors Available

2827 Series

007 Silver (D-K301) (Printable)





2831

R Tape VinylEfx®: Brite Overall™, Decorative Series



FDC 2831 Series is R Tape VinylEfx® Brite Overall™ pattern Decorative Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to promotional graphics, signage and decals. Decorative series films provide limited exterior durability. To order punched material, use part number 2881.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** No  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 88# Layflat  
**Conformability:** Flat surfaces

Ordering Information

2831 (Unpunched)		
Part No.	Roll Size	Silver
-2415	24"x50Yds	425.94
-2403	24"x10Yds	102.22
-2402	24"x5Yds	71.24
-1515	15"x50Yds	425.94
-1503	15"x10Yds	102.22
-1502	15"x5Yds	71.24
2881 (Punched)		
Part No.	Roll Size	Silver
-1515	15"x50Yds	442.98
-1503	15"x10Yds	106.31
-1502	15"x5Yds	74.09

sales temporarily suspended

Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

Shelf Life:

1 Year

Printing:

Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

Installation:

Wet Apply: No  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

2831 Series

007 Silver (D-7901)



# 2900

## Avery Dennison® SF100 Paint Mask, Removable Adhesive



FDC 2900 Series is Avery Dennison® SF 100 Paint Mask Film 128 (002 White) and 231 (006 Yellow). This product features a removable adhesive, which provides a strong bond for fine lines and details with clean removal from most OEM painted surfaces. Not for use in conjunction with paint baking cycles. To order punched material, use part number 2950.

### Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	3.4 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	Up to 1 Year
<b>Adhesive / Color:</b>	Removable / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat Surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

2900 (Unpunched)			
Part No.	Roll Size	White	Yellow
-6015	60"x50Yds	748.22	944.47
-6003	60"x10Yds	187.05	236.12
-4815	48"x50Yds	598.57	755.57
-4803	48"x10Yds	149.64	188.89
-3915	39"x50Yds	589.60	744.24
-3903	39"x10Yds	147.40	186.06
-3615	36"x50Yds	580.62	732.91
-3603	36"x10Yds	145.15	183.23
-3015	30"x50Yds	334.06	427.73
-3003	30"x10Yds	87.91	106.93
-2415	24"x50Yds	315.52	386.16
-2403	24"x10Yds	83.03	96.54
-2015	20"x50Yds	262.93	321.80
-2003	20"x10Yds	65.73	80.45
-1915	19"x50Yds	262.93	321.80
-1903	19"x10Yds	65.73	80.45
-1515	15"x50Yds	164.94	201.83
-1503	15"x10Yds	49.98	61.16
-1215	12"x50Yds	152.95	175.89
-1203	12"x10Yds	44.43	51.09
-1015	10"x50Yds	129.39	148.80
-1003	10"x10Yds	39.31	45.20
-0815	8"x50Yds	106.02	121.93
-0803	8"x10Yds	34.22	39.35
-0615	6"x50Yds	82.70	95.11
-0603	6"x10Yds	29.11	33.48
-0515	5"x50Yds	71.03	81.69
-0415	4"x50Yds	59.37	68.27
-0315	3"x50Yds	47.70	54.85
-0215	2"x50Yds	36.03	41.44
-0115	1"x50Yds	24.38	28.03
-3450	3/4"x50Yds	19.38	22.28
-1250	1/2"x50Yds	14.96	17.21
-3850	3/8"x50Yds	13.32	15.31
-1450	1/4"x50Yds	11.67	13.42
2950 (Punched)			
Part No.	Roll Size	White	Yellow
*-3115	30"x50Yds	347.42	444.84
*-3103	30"x10Yds	91.43	111.21
-3015	30"x50Yds	347.42	444.84
-3003	30"x10Yds	91.43	111.21
-1515	15"x50Yds	171.54	209.91
-1503	15"x10Yds	51.98	63.61

\* 1/2" punch pattern

### Colors Available

2900 Series

- 002 White
- 006 Yellow



# 2901

## Lumina® Promotional Paint Mask, Low-Tack Removable Adhesive



Lumina 2901 Series is a calendered vinyl film designed for use as a paint mask. This product features a low-tack removable adhesive, which provides a light bond with clean removal from most OEM painted surfaces. Not for use in conjunction with paint baking cycles. To order punched material, use part number 2951.

### Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	3.4 mil.
<b>Finish:</b>	Low Luster
<b>Blockout:</b>	N/A
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	Low - Tack Removable / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat Surfaces, Simple Curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Yes / Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior

### Ordering Information

2901 (Unpunched)		
Part No.	Roll Size	All
-6015	60"x50Yds	635.02
-6003	60"x10Yds	158.76
-4815	48"x50Yds	508.02
-4803	48"x10Yds	127.01
-3915	39"x50Yds	500.40
-3903	39"x10Yds	125.10
-3615	36"x50Yds	492.78
-3603	36"x10Yds	123.20
-3015	30"x50Yds	322.92
-3003	30"x10Yds	84.98
-2415	24"x50Yds	261.23
-2403	24"x10Yds	68.75
-2015	20"x50Yds	217.69
-2003	20"x10Yds	54.42
-1515	15"x50Yds	172.88
-1503	15"x10Yds	52.39
2951 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	335.83
*-3103	30"x10Yds	88.38
-3015	30"x50Yds	335.83
-3003	30"x10Yds	88.38
-1515	15"x50Yds	179.80
-1503	15"x10Yds	54.48

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook.  
\* 1/2" punch pattern

### Colors Available

2901 Series

- 002 White
- 006 Yellow



# 2905

## Avery Dennison® SF100 Paint Mask, High Temp, Removable Adhesive



FDC 2905 Series is Avery Dennison® SF 100 Paint Mask Film 235 (006 Yellow). This product features a removable adhesive, which provides a strong bond for fine lines and details with clean removal from most OEM painted surfaces. It may be used in conjunction with mild paint baking cycles up to 200° F. To order punched material, use part number 2955.

### Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	3.2 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	Up to 1 Year
<b>Adhesive / Color:</b>	High - Tack Removable / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat Surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	N/A
Laminate:	Yes / Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

2905 (Unpunched)		
Part No.	Roll Size	Yellow
-6015	60"x50Yds	931.29
-6003	60"x10Yds	232.82
-4815	48"x50Yds	745.03
-4803	48"x10Yds	186.26
-3915	39"x50Yds	733.86
-3903	39"x10Yds	183.46
-3615	36"x50Yds	722.68
-3603	36"x10Yds	180.67
-3015	30"x50Yds	421.76
-3003	30"x10Yds	105.44
-2415	24"x50Yds	380.78
-2403	24"x10Yds	95.19
-2015	20"x50Yds	317.31
-2003	20"x10Yds	79.33
-1515	15"x50Yds	199.02
-1503	15"x10Yds	60.31
-1215	12"x50Yds	173.44
-1203	12"x10Yds	50.38
-1015	10"x50Yds	146.72
-1003	10"x10Yds	44.57
-0815	8"x50Yds	120.23
-0803	8"x10Yds	38.80
-0615	6"x50Yds	93.78
-0603	6"x10Yds	33.01
-0515	5"x50Yds	80.55
-0415	4"x50Yds	67.32
-0315	3"x50Yds	54.09
-0215	2"x50Yds	40.86
-0115	1"x50Yds	27.64
-3450	3/4"x50Yds	21.97
-1250	1/2"x50Yds	16.97
-3850	3/8"x50Yds	15.10
-1450	1/4"x50Yds	13.24
2955 (Punched)		
Part No.	Roll Size	Yellow
*-3115	30"x50Yds	447.07
*-3103	30"x10Yds	111.77
-3015	30"x50Yds	447.07
-3003	30"x10Yds	111.77
-1515	15"x50Yds	206.98
-1503	15"x10Yds	62.72

\* 1/2" punch pattern

### Colors Available 2905 Series

006 Yellow



# 3000

## Lumina® Intermediate 20# Drawing and Pounce Media Paper



Lumina 3000 Series Intermediate 20# Drawing and Pounce Paper – This product is ideal for hand painted signs or stencils, and Cad pen plotters. Some vinyl cutter-plotters can use a pounce tool to create desired computer-aided designs. Other methods would be using a plotter pen to draw the computer-aided design and then using a hand tool with a star wheel to punch holes through the paper. Pounce powder would then be used to transfer the design onto given substrate. To order punched material, use part number 3050.

### Key Features

<b>Film Technology:</b>	Bond Paper
<b>Film Thickness:</b>	20#
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	No
<b>Liner:</b>	No
<b>Conformability:</b>	No
<b>Processing:</b>	No
Computer Cut:	No
Steel Rule:	No
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	No
<b>Shelf Life:</b>	No
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	N/A
Interior / Exterior:	N/A

### Ordering Information

3000 (Unpunched)		
Part No.	Rolls Size	White
-6030	60"x100Yds	249.90
-5230	52"x100Yds	216.58
-4830	48"x100Yds	199.92
-3930	39"x100Yds	196.93
-3630	36"x100Yds	183.93
-3030	30"x100Yds	113.52
-2430	24"x100Yds	106.57
-2030	20"x100Yds	88.81
-1550	15"x500Ft	101.62
-1530	15"x100Yds	56.51
-1230	12"x100Yds	55.66
-1030	10"x100Yds	55.38
-0830	8"x100Yds	55.11
-0630	6"x100Yds	54.64
-0530	5"x100Yds	50.34
-0430	4"x100Yds	46.01
-0330	3"x100Yds	41.71
-0230	2"x100Yds	37.38
-0130	1"x100Yds	33.05
3050 (Punched)		
Part No.	Rolls Size	White
*-3130	30"x100Yds	118.06
-3030	30"x100Yds	118.06
-1550	15"x500Ft	106.70
-1530	15"x100Yds	59.33

\* 1/2" punch pattern

### Colors Available 3000 Series

002 White



# 3002

## Lumina® 90# Bleached Kraft Release Liner Paper



Lumina 3002 Series 90# Bleached Kraft Release Liner Paper - This product has a siliconized coating on one side. It is commonly used as a backer for pressure sensitive adhesive backed vinyl film. To order punched material, use part number 3052.

### Key Features

<b>Film Technology:</b>	Kraft Liner Paper
<b>Film Thickness:</b>	90# Siliconized Kraft
<b>Finish:</b>	No
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	No
<b>Liner:</b>	No
<b>Conformability:</b>	No
<b>Processing:</b>	No
Computer Cut:	No
Steel Rule:	No
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	No
<b>Shelf Life:</b>	No
<b>Printing:</b>	No
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	N/A
Interior / Exterior:	N/A

### Ordering Information

3002 (3052 Punched)		
Part No.	Roll Size	All
-6015	60"x50Yds	259.48
-6003	60"x10Yds	57.64
-4815	48"x50Yds	210.33
-4803	48"x10Yds	47.89
-3915	39"x50Yds	186.95
-3903	39"x10Yds	41.51
-3615	36"x50Yds	161.17
-3603	36"x10Yds	39.01
-3115	30"x50Yds	156.09
-3103	30"x10Yds	40.06
-3015	30"x50Yds	156.09
-3003	30"x10Yds	40.06
-2415	24"x50Yds	112.00
-2403	24"x10Yds	23.88
-1915	19"x50Yds	91.51
-1903	19"x10Yds	26.45
-1515	15"x50Yds	85.85
-1503	15"x10Yds	27.54
-1215	12"x50Yds	62.82
-1203	12"x10Yds	21.04
-1015	10"x50Yds	54.63
-1003	10"x10Yds	19.46
-0815	8"x50Yds	46.43
-0803	8"x10Yds	17.90
-0615	6"x50Yds	38.24
-0603	6"x10Yds	16.42
-0515	5"x50Yds	34.33
-0415	4"x50Yds	30.05
-0315	3"x50Yds	25.96
-0215	2"x50Yds	21.86
-0115	1"x50Yds	17.76
-3450	3/4"x50Yds	13.65
-1250	1/2"x50Yds	10.44
-3850	3/8"x50Yds	9.67
-1450	1/4"x50Yds	8.90

**Discontinued Product.**  
**Available While Supplies Last.**

### Colors Available 3002 Series

002 White



# 3004

## Lumina® 60# Drawing and Pounce Media Paper



Lumina 3004 Series Intermediate 60# Drawing and Pounce Paper – This product would be used where thicker paper is needed for a larger hand-painted sign or stencil is needed. 3004 can also be used in Cad pen plotters. Some vinyl cutter-plotters can use a pounce tool to create desired computer-aided designs. To order punched material, use part number 3054.

### Key Features

<b>Film Technology:</b>	Bond Paper
<b>Film Thickness:</b>	60#
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	No
<b>Liner:</b>	No
<b>Conformability:</b>	No
<b>Processing:</b>	No
Computer Cut:	No
Steel Rule:	No
Thermal Die:	No
Flat Bed:	No
Sheetable:	No
Laminate:	No
<b>Shelf Life:</b>	No
<b>Printing:</b>	No
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	No
Wet Apply:	No
Minimum Application °F:	N/A
Interior / Exterior:	N/A

### Ordering Information

3004 (Unpunched)		
Part No.	Roll Size	White
-6030	60"x100Yds	321.19
-5230	52"x100Yds	278.35
-4830	48"x100Yds	256.94
-3930	39"x100Yds	253.09
-3630	36"x100Yds	236.39
-3030	30"x100Yds	145.90
-2430	24"x100Yds	136.98
-2030	20"x100Yds	114.14
-1550	15"x500Ft	130.61
-1530	15"x100Yds	72.63
-1230	12"x100Yds	71.53
-1030	10"x100Yds	71.18
-0830	8"x100Yds	70.83
-0630	6"x100Yds	70.23
-0530	5"x100Yds	64.70
-0430	4"x100Yds	59.14
-0330	3"x100Yds	53.61
-0230	2"x100Yds	48.05
-0130	1"x100Yds	42.48
3054 (Punched)		
Part No.	Rolls Size	White
*-3130	30"x100Yds	151.73
-3030	30"x100Yds	151.73
-1550	15"x500Ft	137.14
-1530	15"x100Yds	76.26

\* 1/2" punch pattern

### Colors Available

3004 Series

002 White



# 3200

## 3M™ 3200 Engineer Grade Reflective Sheeting



FDC 3200 Series 3M™ 3200 Engineer Grade Reflective Sheeting. These films meet ASTM D4956 Type I and are an enclosed lens, pressure sensitive adhesive-coated reflective sheeting with an easy release liner, intended for production of non-critical traffic signs and pressure sensitive stickers. To order punched material, use part number 3250.

### Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 7.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7 Years  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 90# Layflat  
**Conformability:** Flat surfaces

### Ordering Information

3200 (Unpunched)			
Part No.	Roll Size	White	Colors
-4815	48"x50Yds	1,113.63	1,113.63
-4803	48"x10Yds	233.86	233.86
-3615	36"x50Yds	835.22	835.22
-3603	36"x10Yds	175.40	N/A
-3015	30"x50Yds	696.02	696.02
-3003	30"x10Yds	146.16	N/A
-2415	24"x50Yds	556.81	556.81
-2403	24"x10Yds	116.93	N/A
3250 (Punched)			
Part No.	Roll Size	White	Colors
-3015	30"x50Yds	723.86	723.86
-3003	30"x10Yds	152.01	N/A

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

### Shelf Life:

1 Year

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: No

Minimum Application °F: 65 °F  
 Interior / Exterior: Interior and Exterior

(Not warranted for automotive use)

### Standard Colors Available

3200 Series

090 White

### Special Order Colors

3200 Series

Special order if no inventory available

071 Yellow  
 072 Red  
 075 Blue  
 077 Green  
 079 Brown





# 3300

## Lumina® Imitation Leaf Vinyl Film



Lumina 3300 Series Imitation Leaf Vinyl Film - This product is a polymeric cast film with a three-dimensional illusionary pattern. The 3300 is durable and dimensionally stable and is ideal for pinstripping, lettering, advertising and vehicle graphics. To order punched material, use part number 3350.

### Key Features

<b>Film Technology:</b>	Polymeric Cast
<b>Film Thickness:</b>	4.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	5 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	Yes
Latex:	No
UV Inkjet:	Yes
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

3300 (Unpunched)		
Part No.	Roll Size	All
-4815	48"X50Yds	2,579.30
-4803	48"x10Yds	727.41
-4802	48"x5Yds	380.72
-3915	39"X50Yds	2,540.62
-3903	39"x10Yds	573.19
-3902	39"x5Yds	296.27
-3615	36"X50Yds	2,501.93
-3603	36"x10Yds	552.31
-3602	36"x5Yds	241.81
-3015	30"X50Yds	1,953.17
-3003	30"x10Yds	415.57
-2415	24"X50Yds	1,289.66
-2403	24"X10Yds	386.62
-1815	18"X50Yds	1,146.36
-1803	18"X10Yds	224.41
-1515	15"X50Yds	967.24
-1503	15"X10Yds	199.61
3350 (Punched)		
Part No.	Roll Size	All
*-3115	30"X50Yds	2,031.29
*-3103	30"x10Yds	432.20
-3015	30"X50Yds	2,031.29
-3003	30"x10Yds	432.20
-1515	15"X50Yds	1,005.93
-1503	15"X10Yds	207.60

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
\* 1/2" punch pattern

### Colors Available 3300 Series

- 004 Gold
- 007 Silver



Lumina 3400 Series is a 6.0 mil holographic film coated with a permanent acrylic pressure sensitive adhesive on a 90# layflat liner

Key Features

**Film Technology:** Holographic Film  
**Film Thickness:** 6.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 1 Year  
**Adhesive / Color:** Acrylic / Permanent  
**Liner:** 90# Layflat  
**Conformability:** Flat surfaces

Ordering Information

3400		
Part No.	Roll Size	All
-3015	30"X50Yds	605.11
-3003	30"X10Yds	129.09
-3002	30"X5Yds	69.16
-1515	15"X50Yds	302.56
-1503	15"X10Yds	64.55
-1502	15"X5Yds	34.58
-1215	12"X50Yds	242.05
-1203	12"X10Yds	51.64
-1202	12"X5Yds	27.66

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:**

1 Year

**Printing:**

Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: Yes  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**

Wet Apply: Yes

Minimum Application °F: 50 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

3400 Series

007 Silver



3404

ASLAN Memo Board Films™ - Ferrous Film



FDC 3404 Series is ASLAN FF 400. This product is a self-adhesive film containing a special iron mixture, which allows magnetic attachment. It may be rolled, is resistant to buckling and can be laminated with other films for a variety of surface options.

Key Features

Film Technology: PE Based Ferro Film
Film Thickness: 16 mil.
Finish: Matte
Blockout: Yes
Outdoor Durability: No

Ordering Information

Table with 3 columns: Part No., Roll Size, Brown. Rows include part numbers -3905, -3902, -1905, -1902 and their corresponding roll sizes and prices.

Adhesive / Color: Permanent / Clear

Liner: Silicone Coated Paper
Conformability: Flat Surfaces

Processing:

Computer Cut: No
Steel Rule: Yes
Thermal Die: No
Flat Bed: No
Sheetable: Yes
Laminate: Cold

Shelf Life: 3 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation:

Wet Apply: No
Minimum Application °F: 59° F
Interior / Exterior: Interior

Colors Available

3404 Series

008 Brown



# 3501

## Lumina® Promotional Fluorescent Vinyl Film



Lumina 3501 Series is a promotional grade cast fluorescent vinyl film designed for producing graphics and signage requiring short-term (up to 6 months) durability. This product features a unique colorant system for superior visual appeal and exceptional opacity, providing dynamic graphics accents. The fluorescent pigments used in this film fade with UV exposure and are suggested interior use or limited exterior use. To order punched material, use part number 3551.

### Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	3-6 Months
<b>Adhesive / Color:</b>	Permanent / White
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat surfaces, simple curves and corrugation
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

3501 (3551 Punched)		
Part No.	Roll Size	All
-4815	48"x50Yds	1,586.58
-4803	48"x10Yds	377.76
-4802	48"x5Yds	264.43
-3915	39"x50Yds	1,562.79
-3903	39"x10Yds	372.09
-3902	39"x5Yds	260.46
-3615	36"x50Yds	1,538.99
-3603	36"x10Yds	366.43
-3602	36"x5Yds	256.50
-3115	30"x50Yds	989.01
-3103	30"x10Yds	241.22
-3015	30"x50Yds	989.01
-3003	30"x10Yds	241.22
-2415	24"x50Yds	813.21
-2403	24"x10Yds	186.95
-1815	18"x50Yds	609.91
-1803	18"x10Yds	152.48
-1515	15"x50Yds	498.70
-1503	15"x10Yds	118.74
-1215	12"x50Yds	411.55
-1203	12"x10Yds	98.45
-1015	10"x50Yds	344.61
-1003	10"x10Yds	83.85
-0815	8"x50Yds	277.67
-0803	8"x10Yds	69.24
-0615	6"x50Yds	210.73
-0603	6"x10Yds	54.62
-0515	5"x50Yds	177.26
-0415	4"x50Yds	143.79
-0315	3"x50Yds	110.32
-0215	2"x50Yds	96.48
-0115	1"x50Yds	54.01
-3450	3/4"x50Yds	42.46
-1250	1/2"x50Yds	30.03
-3850	3/8"x50Yds	24.30
-1450	1/4"x50Yds	18.57

**Discontinued Product.**  
**Available While Supplies Last.**

### Colors Available

3501 Series

- 005 Blue
- 056 Pink



3508

ASLAN Ice Look, Dryapply Film



FDC 3508 Series is ASLAN 302. This product is a calendered vinyl film designed for glass decoration and features ASLAN's unique Dryapply air egress adhesive system for easy applications.

Key Features

Film Technology: Calendered
Film Thickness: 3.2 mil.
Finish: Matte
Blockout: No
Outdoor Durability: 7 Years

Ordering Information

Table with 3 columns: Part No., Roll Size, Matte Silver. Rows include part numbers -4816, -4804, -2416, -2404 and their corresponding roll sizes and prices.

Adhesive / Color: Dryapply - Permanent / Clear

Liner: PE Coated Paper
Conformability: Flat surfaces

Processing:

Computer Cut: Yes
Steel Rule: Yes
Thermal Die: Yes
Flat Bed: Yes
Sheetable: Yes
Laminate: Yes / Cold

Shelf Life: 3 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: Yes

Installation:

Wet Apply: No
Minimum Application °F: 59° F
Interior / Exterior: Interior and Exterior

Colors Available

3508 Series

- 300 Etch Glass
302 Matte Silver



Lumina® 3522 Series is a Premium Etched Glass Vinyl Film designed to simulate an etched glass or sandblasted look on a variety of surfaces. This film is ideal for interior and exterior applications on windows, partitions and displays. It is rated for outdoor durability up to 7 years (unprinted).

Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	7 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	Lay-flat Liner
<b>Conformability:</b>	Flat surfaces, simple curves and corrugation
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	Yes
Latex:	Yes
UV Inkjet:	Yes
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	60 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

3522 (Unpunched)			
Part No.	Roll Size	Color 1	Color 2
-6015	60"X50Yds	1,803.85	1,887.75
-6003	60"X10Yds	361.33	377.55
-5415	54"X50Yds	1,623.47	N/A
-5403	54"X10Yds	324.69	N/A
-4815	48"X50Yds	1,587.39	1,510.20
-4803	48"X10Yds	317.48	302.04
-3615	36"X50Yds	1,190.54	1,245.91
-3603	36"X10Yds	238.11	249.18
-3015	30"X50Yds	901.93	943.87
-3003	30"X10Yds	180.39	188.77
-2415	24"X50Yds	721.54	755.10
-2403	24"X10Yds	144.31	151.02
-1815	18"X50Yds	595.27	566.33
-1803	18"X10Yds	119.05	113.27
-1515	15"X50Yds	450.96	471.94
-1503	15"X10Yds	90.19	94.39
3572 (Punched)			
Part No.	Roll Size	Color 1	Color 2
*-3115	30"X50Yds	938.00	981.63
*-3103	30"X10Yds	187.60	196.33
-3015	30"X50Yds	938.00	981.63
-3003	30"X10Yds	187.60	196.33
-1515	15"X50Yds	469.00	490.82
-1503	15"X10Yds	93.80	98.16

Color 1 Available

3522 Series  
500 Etched Glass  
501 Silver Etched Glass

Color 2 Available

3522 Series  
502 Sparkle Etched Glass



**3600**

**3M™ 3650 Scotchcal™ Graphic Film**



FDC 3600 Series is 3M™ 3650 Scotchcal™ Graphic Film. Use this film to screen print permanent, interior or exterior graphics. The film has a pressure-sensitive adhesive, resists gasoline vapors and occasional petroleum spills, and is available in transpare

Key Features

**Film Technology:** PVC  
**Film Thickness:** 2 mil.  
 Various  
**Finish:** Luster  
**Blockout:** Yes Opaque Films / No  
 Transparent  
**Outdoor Durability:** 10 Years Opaque / 8 Years  
 Transparent  
**Adhesive / Color:** Permanent / Grey or Clear

Ordering Information

3600				
Part No.	Roll Size	Black	Clear	White
-4815	48"x50Yds	1,177.41	1,177.41	1,142.99
-4803	48"x10Yds	259.03	259.03	251.46
-3615	36"x50Yds	588.71	588.71	571.50
-3603	36"x10Yds	129.52	129.52	125.73

**Liner:** Polyethylene-coated Layflat P  
**Conformability:** Flat Surfaces, with and  
 without rivets

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: Yes  
 Laminate: No

**Shelf Life:** 3 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40° F  
 Interior / Exterior: Interior / Exterior

Colors Available  
3600 Series

- 010 White
- 012 Black
- 114 Clear



# 3630

## 3M™ 3630 Scotchcal™ Translucent Graphic Film



FDC 3630 Series is 3M™ 3630 Scotchcal™ Translucent Graphic Film. These are long-term cast vinyl films with a synthetic layflat liner that is not affected by water or humidity. Use these electronic cuttable films for flat or thermoformed, internally-illuminated signs with crisp, clear colors (many with simulated PANTONE® color references). A matte surface finish eliminates glare and provides uniform color in reflected and transmitted light. To order punched material, use part number 3680.

### Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil.

**Finish:** Low Surface Gloss  
**Blockout:** No  
**Outdoor Durability:** 7 Years

**Adhesive / Color:** Permanent / Clear

**Liner:** Transparent Synthetic  
**Conformability:** Flat surfaces

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 3 Years

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**  
 Wet Apply: Yes

Minimum Application °F: 50 °F  
 Interior / Exterior: Interior and Exterior

### Ordering Information

3630 (Unpunched)			
Part No.	Roll Size	Black	Colors
** -6015	60"x50Yds	1,669.50	2,118.00
-6003	60"x10Yds	350.60	444.78
** -4815	48"x50Yds	1,335.60	1,694.40
-4803	48"x10Yds	280.48	355.82
-3015	30"x50Yds	834.75	1,078.98
-3003	30"x10Yds	175.30	226.59
-2415	24"x50Yds	667.80	863.18
-2403	24"x10Yds	140.24	181.27
-1515	15"x50Yds	417.38	539.49
-1503	15"x10Yds	87.65	113.29
3680 (Punched)			
Part No.	Roll Size	Black	Colors
* -3115	30"x50Yds	868.14	1,122.14
* -3103	30"x10Yds	182.31	235.65
-3015	30"x50Yds	868.14	1,122.14
-3003	30"x10Yds	182.31	235.65
-1515	15"x50Yds	434.07	561.07
-1503	15"x10Yds	91.15	117.82

\* 1/2" punch pattern

\*\* \$50.00 per shipment upcharge applies on drop ships

### Colors Available

3630 Series

see next page



Colors Available  
3630 Series

- |                       |                          |
|-----------------------|--------------------------|
| *005 Ivory            | *111 Dover White         |
| 015 Yellow            | *115 Light Lemon Yellow  |
| 020 White             | *116 Bright Jade Green   |
| 022 Black             | *118 Intense Magenta     |
| 025 Sunflower         | *121 Silver              |
| 026 Green             | *124 Burnt Orange        |
| *027 Electric Blue    | *125 Golden Yellow       |
| 033 Red               | *126 Dark Emerald Green  |
| 036 Blue              | 127 Intense Blue         |
| *037 Sapphire         | *128 Plum Purple         |
| *038 Fuchsia          | *129 Bronze              |
| *039 Warm Beige       | *131 Gold Metallic       |
| 043 Light Tomato Red  | *133 Raspberry           |
| *044 Orange           | *135 Yellow Rose         |
| *047 Patriot Blue     | *136 Lime Green          |
| 049 Burgundy          | 137 European Blue        |
| *051 Silver Grey      | *141 Gold Nugget         |
| 053 Cardinal Red      | *143 Poppy Red           |
| *056 Glacial Green    | *144 Poppy Orange        |
| *057 Olympic Blue     | *146 Light Kelly Green   |
| *059 Dark Brown       | *147 Light European Blue |
| 061 Slate Grey        | *149 Light Beige         |
| *063 Rust Brown       | *156 Vivid Green         |
| *068 Rose Mauve       | 157 Sultan Blue          |
| 069 Duranodic         | *158 Bright Violet       |
| *071 Shadow Grey      | *163 Scarlet             |
| 073 Dark Red          | 167 Bright Blue          |
| *074 Kumquat Orange   | *187 Infinity Blue       |
| *075 Marigold         | *196 Forest              |
| 076 Holly Green       | *216 Blue Coral          |
| *077 Indigo           | *217 Deep Sea Blue       |
| *078 Vivid Rose       | *227 Azure               |
| *083 Regal Red        | *235 Autumn Yellow       |
| *084 Tangerine        | *236 Turquoise           |
| *086 Blue Lagoon      | *246 Teal Green          |
| *087 Royal Blue       | *276 Kentucky Bluegrass  |
| *093 Fire Engine Red  | *287 Marine Blue         |
| 097 Bristol Blue      | *297 Twilight Blue       |
| *098 Electric Pink    | *316 Jade Green          |
| *106 Brilliant Green  | *317 Evening Blue        |
| *108 Pink             | *328 Berry Burgundy      |
| *109 Light Rust Brown | *337 Process Blue        |

\* Not available in 60", 30" & 15" width.



# 3635

## 3M™ 3635 Light Management Films - Blockout Films



FDC 3635 Series is 3M™ 3635 Light Management Films - Blockout Film. These films are intended for blocking out light when applied either first or second surface to internally-illuminated signs. Available in two finishes 020 (3M 20b) white face with black back and 022 (3M 22b) black face with white back. To order punched material, use part number 3685.

### Key Features

**Film Technology:** Teslin  
**Film Thickness:** 4.0 mil.  
**Finish:** Matte  
**Blockout:** Yes  
**Outdoor Durability:** 7 Years

### Ordering Information

3635 (Unpunched)		
Part No.	Roll Size	Blockout
-4815	48"x50Yds	1,105.82
-4803	48"x10Yds	232.22

**Adhesive / Color:** Permanent / Clear

**Liner:** 78# Kraft  
**Conformability:** Flat surfaces

### **Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Cold

**Shelf Life:** 3 Years

### **Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### **Installation:**

Wet Apply: Yes  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

### Colors Available

3635 Series

022 Black/White  
 020 White/Black



3635

3M™ 3635 Light Management Films - Chrome Graphic Film



FDC 3635 Series is 3M™ 3635-110 Chrome Graphic Film. This product is a unique, 3 mil translucent film that reflects light to produce a glossy chrome appearance in a finished graphic. It is designed for use on first or second surface signs in an internally illuminated sign box and can be applied flat to any plastic sheet or thermoformed on a high temperature copolyester sheet.

Key Features

Film Technology: Non-vinyl, translucent
Film Thickness: 3.0 mil.
Finish: Gloss
Blockout: No
Outdoor Durability: 3 - 5 years

Ordering Information

Table with 3 columns: Part No., Roll Size, Chrome. Row 1: -4815, 48"x50Yds, 10,508.66

Non-stock item

Adhesive / Color: Permanent / Clear

Liner: Paper
Conformability: Flat surfaces

Processing:

Computer Cut: Yes
Steel Rule: Yes
Thermal Die: No
Flat Bed: Yes
Sheetable: No
Laminate: Cold

Shelf Life: 2 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation:

Wet Apply: Yes
Minimum Application °F: 60 °F
Interior / Exterior: Interior and Exterior

Colors Available

3635 Series

110 Chrome



# 3635

## 3M™ 3635 Light Management Films - Day / Night Films



FDC 3635 Series is 3M™ 3635 Light Management Films - Day / Night Films. These films produce the appearance of dark graphics during the day and white or colored graphics at night on internally-illuminated signs. To order punched material, use part number 3685.

### Key Features

**Film Technology:** Teslin  
**Film Thickness:** 2.0 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** 7 Years

### Ordering Information

3635 (Unpunched)		
Part No.	Roll Size	Day / Night
-4815	48"x50Yds	1,731.24
-4803	48"x10Yds	363.56
-4802	48"X5Yds	181.78

**Adhesive / Color:** Permanent / Clear

**Liner:** 78# Kraft  
**Conformability:** Flat surfaces

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Cold

**Shelf Life:** 3 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

### Installation:

Wet Apply: Yes  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

### Colors Available

3635 Series

091 Smoke Grey  
 171 Dark Grey



FDC 3635 Series is 3M™ 3635 Light Management Films - Diffuser Films. These films provide light diffusion when applied either first or second surface to internally-illuminated signs. This film may also be thermoformed and is uniform in both reflective and transmitted light. To order punched material, use part number 3685.

Key Features

**Film Technology:** Teslin  
**Film Thickness:** 2.0 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** 7 Years

Ordering Information

3635 (Unpunched)		
Part No.	Roll Size	Diffuser
-6015	60"x50Yds	1,316.41
-6003	60"x10Yds	276.45
-4815	48"x50Yds	1,053.13
-4803	48"x10Yds	221.16

**Adhesive / Color:** Permanent / Clear

**Liner:** 78# Kraft  
**Conformability:** Flat surfaces

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Cold

**Shelf Life:** 2 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:**

Wet Apply: Yes  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

3635 Series

Standard Stock  
 All Sizes Available  
 070 65% Light White

Standard Stock  
 Maximum Width 48"  
 030 30% Light White

60" Available by Special Order Only  
 w/ Larger Minimum Quantities



# 3635

## 3M™ 3635 Light Management Films - Dual Color Films



FDC 3635 Series is 3M™ 3635 Light Management Films - Dual Color Films. These films are used to create the special effect of a color/image by day (non lighted) and a different color by night (backlit). This is achieved when a background color/image glows through the perforations in the dual color film. From a typical viewing distance for large format graphics, viewers will notice little or no perforation pattern. Dual-color films are available in 222 black or 210 white. To order punched material, use part number 3685.

### Key Features

**Film Technology:** Calendered  
**Film Thickness:** 4.5 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** 7 Years

### Ordering Information

3635 (Unpunched)		
Part No.	Roll Size	Dual Color
-4815	48"x50Yds	3,736.75
-4803	48"x10Yds	784.72

**Adhesive / Color:** Permanent / Clear

**Liner:** 78# Kraft  
**Conformability:** Flat surfaces

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: No  
 Laminate: Cold

**Shelf Life:** 3 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: N/A  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

### Colors Available

3635 Series

- 157 Sultan Blue
- 210 White
- 222 Black



3635

3M™ 3635 Light Enhancement Film



FDC 3635 Series is 3M™ 3635 Light Enhancement Film. This film is designed to reflect light increasing light output for greater sign luminence when applied to the inside of internally-illuminated cabinets or channel letters. This product is color number 100PM and comes premasked by 3M. To order punched material, use part number 3685.

Key Features

Film Technology: Teslin
Film Thickness: 5.5 mil.
Finish: Matte
Blockout: No
Outdoor Durability: 5 Years

Ordering Information

Table with 3 columns: Part No., Roll Size, Light Enh. Header: 3635 (Unpunched). Rows: -4815 (48"x50Yds, 1,582.58), -4803 (48"x10Yds, 332.34)

Adhesive / Color: Permanent / Clear

Liner: 78# Kraft
Conformability: Flat surfaces

Processing:

Computer Cut: No
Steel Rule: Yes
Thermal Die: Yes
Flat Bed: Yes
Sheetable: No
Laminate: Cold

Shelf Life: 2 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation:

Wet Apply: Yes
Minimum Application °F: 40 °F
Interior / Exterior: Interior and Exterior

Colors Available

3635 Series

100 Matte White



FDC series 3640 is 3M™ 3690 Scotchcal™ Graphic Film. This product features an aggressive, pressure sensitive-adhesive and is well suited for graphics applied to sand cast, moderately rough surfaces and some low surface energy materials. Designed with a gray-pigmented adhesive for good hiding power, this permanent film provides long term durability in severe weather and handling conditions encountered by commercial and industrial graphics.

Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7-10 Years

Ordering Information

3640		
Part No.	Roll Size	White
-4815	48"X50Yds	711.23
-3615	36"X50Yds	533.43
-2415	24"X50Yds	355.62

Non-stock item

**Discontinued Product.  
 Available While Supplies Last.**

**Adhesive / Color:** Pressure Sensitive / Gray

**Liner:** White Kraft Paper  
**Conformability:** Flat or moderate compound curves, with or without rivets; also sandcast, moderately rough

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 3 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

Colors Available

3640 Series

010 White





# 3640

## 3M™ 3690LF Scotchcal™ Graphic Film



FDC series 3640 is 3M™ 3690LF Scotchcal™ Graphic Film. This product features an aggressive, pressure sensitive-adhesive and is well suited for graphics applied to sand cast, moderately rough surfaces and some low surface energy materials. Designed with a gray-pigmented adhesive for good hiding power, this permanent film provides long term durability in severe weather and handling conditions encountered by commercial and industrial graphics.

### Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7-10 Years

### Ordering Information

3640				
Part No.	Roll Size	White	Black	Clear
-4815	48"X50Yds	790.18	813.89	813.89
-3615	36"X50Yds	592.64	N/A	N/A

Non-stock item

**Discontinued Product.**  
**Available While Supplies Last.**

**Adhesive / Color:** Pressure Sensitive / Gray

**Liner:** Polyethylene-Coated Layflat P  
**Conformability:** Flat or moderate compound curves, with or without rivets; also sandcast, moderately rough

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 3 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

### Colors Available

3640 Series

- 110 White
- 112 Black
- 114 Clear (3000 sq. ft. minimum)



# 3640

## 3M™ 3690C Controltac™ Graphic Film With Comply™ Adhesive



FDC series 3640 is 3M™ 3690C Controltac™ Graphic Film With Comply™ Adhesive. This product features an aggressive, pressure sensitive-adhesive and is well suited for graphics applied to sand cast, moderately rough surfaces and some low surface energy materials. Designed with a gray-pigmented adhesive for good hiding power, this permanent film provides long term durability in severe weather and handling conditions encountered by commercial and industrial graphics.

### Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7-10 Years

### Ordering Information

3640				
Part No.	Roll Size	White	Black	Clear
-4815	48"X50Yds	869.13	895.18	895.18
-3615	36"X50Yds	651.85	N/A	N/A
-2415	24"X50Yds	434.56	N/A	N/A

Non-stock item

**Discontinued Product.**  
**Available While Supplies Last.**

**Adhesive / Color:** Pressure-activated, Slideable, Repositionable, With Air Release Channels /  
**Liner:** Polyethylene-Coated Paper, L  
**Conformability:** Flat or moderate compound curves, with or without rivets; also sandcast, moderately rough

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

### Shelf Life:

3 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior / Exterior

### Colors Available

3640 Series

- 210 White
- 212 Black (3000 sq. ft. minimum)
- 214 Clear



Lumina 3700 Series Ultra Metallic Vinyl Film – This ultra metallic cast vinyl film has an excellent surface gloss and color depth. It provides dynamic graphic accents and can be used for RV and marine applications, automotive aftermarket graphics and striping. To order punched material, use part number 3750.

Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	3.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	5 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat and simple curves.
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	50 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

3700 (Unpunched)			
Part No.	Roll Size	Colors	White
-4815	48"x50Yds	1,894.61	2,084.07
-4803	48"x10Yds	440.61	484.67
-3915	39"x50Yds	1,866.19	2,052.81
-3903	39"x10Yds	434.00	477.40
-3615	36"x50Yds	1,837.77	2,021.55
-3603	36"x10Yds	427.39	470.13
-3015	30"x50Yds	1,172.47	1,289.71
-3003	30"x10Yds	266.47	293.12
-2415	24"x50Yds	968.39	1,065.23
-2403	24"x10Yds	215.20	236.72
-1815	18"x50Yds	726.30	798.93
-1803	18"x10Yds	181.57	199.73
-1515	15"x50Yds	591.73	650.91
-1503	15"x10Yds	140.89	154.98
3750 (Punched)			
Part No.	Roll Size	Colors	White
*-3115	30"x50Yds	1,219.37	1,341.30
*-3103	30"x10Yds	277.13	304.84
-3015	30"x50Yds	1,219.37	1,341.30
-3003	30"x10Yds	277.13	304.84
-1515	15"x50Yds	615.40	676.94
-1503	15"x10Yds	146.52	161.18

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook

\* 1/2" punch pattern

Colors Available

3700 Series  
004 Gold  
007 Silver

Discontinued Colors (available while supplies last)

3700 Series		
001 Red	057 Raspberry	193 Seafoam
002 White	071 Teal	195 Onyx
008 Brown	074 Royal Purple	206 Breakfast Blue
009 Orange	076 Bubble Gum	224 Rose Gold
017 Sapphire Blue	113 Coral	242 Burgundy
019 Cool Blue	125 Wild Cardinal Red	252 Mint
024 Dark Green	164 Amethyst	260 Desert Taupe
030 Dark Blue		261 Diamond Dust



Lumina® 3710 is a premium cast vinyl film that is intended to be used in general signage, RV and marine applications and automotive aftermarket graphics and striping. The 3710 Series provides dynamic graphic accents due to its large metal flake, high surface gloss and exceptional color depth

Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	4.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	2 Years
<b>Adhesive / Color:</b>	Permanent
<b>Liner:</b>	98# embossed, silicone coated
<b>Conformability:</b>	Flat Surfaces, Simple Curves, Compound Curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	2 Years
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

3710 (Unpunched)		
Part No.	Roll Size	All
-6009	60"X81Ft	979.82
-6005	60"X40-1/2Ft	489.91
-5409	54"X81Ft	965.13
-5405	54"X40-1/2Ft	482.56
-4809	48"X81Ft	783.85
-4805	48"X40-1/2Ft	391.93
-3009	30"X81Ft	489.91
-3005	30"X40-1/2Ft	244.95
-2409	24"X81Ft	482.56
-2405	24"X40-1/2Ft	241.28
-1509	15"X81Ft	244.95
-1504	15"X40-1/2Ft	122.48
3760 (Punched)		
Part No.	Roll Size	All
-3009	30"X81Ft	509.50
-3005	30"X40-1/2Ft	254.75
-1509	15"X81Ft	254.75
-1504	15"X40-1/2Ft	127.38

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing. For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook

Colors Available

- 3710 Series On Air Egress Liners
- 001 Red
  - 002 White
  - 003 Black
  - 009 Orange
  - 057 Raspberry
  - 071 Teal
  - 074 Royal Purple
  - 076 Bubblegum Pink
  - 195 Onyx

Colors Available

- 3710 Series On Non-Air Egress Liners
- 008 Brown\*
  - 017 Sapphire Blue\*
  - 024 Dark Green\*
  - 030 Dark Blue\*
  - 075 Lavender\*
  - 113 Coral\*\*
  - 125 Wild Card Red
  - 193 Sea Foam\*
  - 206 Breakfast Blue\*\*
  - 224 Rose Gold\*
  - 242 Medium Burgund\*
  - 260 Desert Taupe\*
  - 261 Diamond Dust

\* Grey Adhesive  
\*\* White Adhesive



FDC 3730 Series is 3M™ Envision™ Translucent Graphic Film Series 3730. These are long-term cast vinyl films with a synthetic layflat liner that is not affected by water or humidity. Use these electronic cuttable films for flat or thermoformed, internally-illuminated signs with crisp, clear colors (many with simulated PANTONE® color references). A matte surface finish eliminates glare and provides uniform color in reflected and transmitted light. Typically for best results, 3M recommends using films series 3730 for LED applications.

Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** 7 - 9 Years

Ordering Information

3730		
Part No.	Roll Size	All
-4815	48"x50Yds	1,858.35
-4803	48"x10Yds	390.25

**Adhesive / Color:** Permanent / Clear  
**Liner:** Transparent Synthetic  
**Conformability:** Flat Surfaces

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 3 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**

Wet Apply: Yes  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Standard Colors Available

3730 Series

015 Yellow	073 Dark Red
020 White	097 Bristol Blue
022 Black Opaque	106 Brilliant Green
026 Green	125 Golden Yellow
033 Red	127 Intense Blue
035 Light Gold	137 European Blue
036 Blue	156 Vivid Green
043 Light Tomato Red	157 Sultan Blue
044 Orange	167 Bright Blue
053 Cardinal Red	337 Process Blue

Special Order Colors

3730 Series

049 Burgundy  
 057 Olympic Blue  
 076 Holly Green  
 083 Regal Red  
 128 Plum Purple  
 133 Raspberry  
 246 Teal Green



3735

3M™ 3735 Light Management Films - Envision™ Diffuser Films



FDC 3735 Series is 3M™ 3735 Light Management Films - Envision™ Diffuser Films. These films provide light diffusion when applied either first or second surface to internally-illuminated signs. This film may also be thermoformed and is uniform in both reflective and transmitted light. Typically for best results, 3M recommends using series 3730 for LED applications.

Key Features

Film Technology: Cast
Film Thickness: 2.0 mil
Finish: Matte
Blockout: No
Outdoor Durability: 5 - 7 Years

Ordering Information

Table with 3 columns: Part No., Roll Size, Diffuser. Header row: 3735. Data rows: -4815 (48"x50Yds, 1,075.32), -4803 (48"x10Yds, 225.82)

Adhesive / Color: Permanent / Clear

Liner: 78# White Kraft Paper
Conformability: Flat Surfaces

Processing:

Computer Cut: Yes
Steel Rule: Yes
Thermal Die: Yes
Flat Bed: Yes
Sheetable: Yes
Laminate: Cold

Shelf Life: 3 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: Yes

Installation:

Wet Apply: Yes
Minimum Application °F: 60 °F
Interior / Exterior: Interior and Exterior

Standard Colors Available

3735 Series

- 050 50% Light White
060 60% Light White



# 3804

## Lumina® Intermediate Frosted Crystal Vinyl Film



Lumina 3804 Series Intermediate Frosted Crystal Vinyl Film – This is a premium cast vinyl film with a high degree of transparency. This product is great for window graphics and lettering. This product also is good for interior P.O.P signage and displays. To order punched material, use part number 3854.

### Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	3.2 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	5 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat surfaces and simple curves.
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	N/A
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	45 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

3804 (3854 Punched)		
Part No.	Roll Size	All
-4815	48"x50Yds	1,628.09
-4803	48"x10Yds	407.02
-3915	39"x50Yds	1,603.67
-3903	39"x10Yds	400.92
-3615	36"x50Yds	1,579.25
-3603	36"x10Yds	394.81
-3115	30"x50Yds	1,017.63
-3103	30"x10Yds	254.41
-3015	30"x50Yds	1,017.63
-3003	30"x10Yds	254.41
-2415	24"x50Yds	814.05
-2403	24"x10Yds	203.51
-1815	18"x50Yds	610.53
-1803	18"x10Yds	152.63
-1515	15"x50Yds	508.82
-1503	15"x10Yds	127.21
-1215	12"x50Yds	444.03
-1203	12"x10Yds	97.69
-1015	10"x50Yds	370.03
-1003	10"x10Yds	81.41
-0815	8"x50Yds	307.19
-0803	8"x10Yds	67.84
-0615	6"x50Yds	230.39
-0603	6"x10Yds	50.88
-0515	5"x50Yds	199.52
-0415	4"x50Yds	159.62
-0315	3"x50Yds	124.60
-0215	2"x50Yds	83.07
-0115	1"x50Yds	43.30
-3450	3/4"x50Yds	37.95
-1250	1/2"x50Yds	28.97
-3850	3/8"x50Yds	25.39
-1450	1/4"x50Yds	18.54

### Colors Available

3804 Series

- \*005 Frosted Blue
- \*114 Frosted Rose
- \*116 Frosted Aqua

\* Discontinued Product Available While Supplies Last



# 3930

## 3M™ 3930 High Intensity Prismatic Reflective Sheeting



FDC 3930 Series is 3M™ 3930 High Intensity Prismatic Reflective Sheeting. These films are a non-metallized microprismatic lens reflective sheeting designed for production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service. Applied to properly prepared sign substrates, 3M high intensity prismatic sheeting provides long-term reflectivity and durability. To order punched material, use part number 3980.

### Key Features

<b>Film Technology:</b>	Prismatic Reflective
<b>Film Thickness:</b>	17.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	up to 10 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	Paper
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	No
Steel Rule:	Yes
Thermal Die:	No
Flat Bed:	No
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	65 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

3930 (Unpunched)		
Part No.	Roll Size	All
-4815	48"x50Yds	1,539.00
-4803	48"x10Yds	384.75
-3915	39"x50Yds	1,250.44
-3903	39"x10Yds	312.61
-3615	36"x50Yds	1,154.25
-3603	36"x10Yds	288.56
-3015	30"x50Yds	961.87
-3003	30"x10Yds	240.47
-2415	24"x50Yds	769.50
-2403	24"x10Yds	192.37
-1815	18"x50Yds	577.12
-1803	18"x10Yds	144.28
-1515	15"x50Yds	480.94
-1503	15"x10Yds	120.23
3980 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	1,000.35
*-3103	30"x10Yds	250.09
-3015	30"x50Yds	1,000.35
-3003	30"x10Yds	250.09
-1515	15"x50Yds	500.17
-1503	15"x10Yds	125.04

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
\* 1/2" punch pattern

### Colors Available

3930 Series  
Standard Colors

030 White

### Special Order

24", 30", 36" or 48" x 50Yds Minimum

Slit to Order

034 Orange

035 Blue

031 Yellow

039 Brown

032 Red

037 Green

FDC Graphic Films, Inc. - Confidential





# 4000

## 3M™ 4000 Diamond Grade™ DG3 Reflective Sheeting



FDC 4000 Series is 3M™ 4000 Series Diamond Grade™ DG3 Reflective Sheeting. This film is a super-high efficiency, full cube retroreflective sheeting designed for the production of traffic control signs and delineators that are exposed vertically in service. Non-stock item.

### Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 17.5 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 12 yrs \*See 3M Product Bulletin

### Ordering Information

4000		
Part No.	Roll Size	All
-4815	48"x50Yds	4,152.50
-3615	36"x50Yds	3,114.38
-3015	30"x50Yds	2,595.31
-2415	24"x50Yds	2,076.25

**Adhesive / Color:** Permanent / White

**Liner:** 3.0 mil. Clear Polypropylene  
**Conformability:** Flat surfaces

### Processing:

Computer Cut: Yes \*See 3M Product Bulletin  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: Yes \*See 3M Product Bulletin  
 Sheetable: Yes  
 Laminate: Cold

### Shelf Life:

1 Year

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: No  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

### Standard Colors Available

4000 Series

090 White

### Special Order Fluorescent Available

4000 Series

081 Fluorescent Yellow  
 083 Fluorescent Yellow Green  
 084 Fluorescent Orange

### Special Order Colors Available

4000 Series

091 Yellow                      097 Green  
 092 Red                        099 Brown  
 095 Blue

FDC Graphic Films, Inc. - Confidential



# 4200

## Lumina® Intermediate Ultra High Gloss Vinyl Film



Lumina 4200 Series Intermediate Ultra High Gloss Vinyl Film – This is an ultra high gloss calendered vinyl film. This product is recommended for outdoor and indoor uses where a high quality marking film is needed for flexibility, durability and resistance to sunlight. This film can be used for architectural signage, P.O.P graphics and decals, banners, striping, window graphics and lettering. To order punched material, use part number 4250.

### Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	2.8 mil.
<b>Finish:</b>	High Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	5 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat and simple curves.
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	40 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

4200 (Unpunched)				
Part No.	Roll Size	BWC	Colors	Special
-6015	60"x50Yds	406.67	465.53	N/A
-6003	60"x10Yds	101.67	116.38	N/A
-5415	54"x50Yds	400.58	458.55	N/A
-5403	54"x10Yds	100.15	114.64	N/A
-4815	48"x50Yds	336.15	373.87	402.63
-4803	48"x10Yds	83.71	93.81	101.03
-3915	39"x50Yds	331.10	368.25	396.58
-3903	39"x10Yds	82.77	92.06	99.14
-3615	36"x50Yds	277.32	322.45	347.26
-3603	36"x10Yds	69.33	80.61	86.81
-3015	30"x50Yds	199.96	222.81	239.95
-3003	30"x10Yds	49.99	55.70	59.99
-2415	24"x50Yds	160.76	179.15	192.93
-2403	24"x10Yds	40.20	45.25	48.73
-2015	20"x50Yds	133.98	149.28	160.76
-2003	20"x10Yds	33.62	37.72	40.62
-1515	15"x50Yds	99.96	111.41	119.98
-1503	15"x10Yds	24.99	27.85	29.99
4250 (Punched)				
Part No.	Roll Size	BWC	Colors	Special
*-3115	30"x50Yds	207.96	231.73	249.55
*-3103	30"x10Yds	51.99	57.93	62.39
-3015	30"x50Yds	207.96	231.73	249.55
-3003	30"x10Yds	51.99	57.93	62.39
-1515	15"x50Yds	103.96	115.86	124.78
-1503	15"x10Yds	25.99	28.97	31.19

Sizes less than 12" in width are part of the FDC Striping Program.

Please refer to your FDC Stripe Book for offering and pricing.

For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook.

\* 1/2" punch pattern

### Colors Available

4200 Series

see next page

Colors Available

4200 Series Standard

- 000 Clear
- 001 Red
- 002 Gloss White
- 003 Gloss Black
- 004 Gold
- 005 Blue
- \*006 Yellow
- 007 Silver
- \*008 Brown
- \*011 Dark Blue
- \*012 Burgundy
- 014 Tomato Red
- 017 Sapphire Blue
- \*018 Olympic Blue
- \*024 Dark Green
- \*025 Sunflower
- \*032 Azure Blue
- 040 Matte Black
- 049 Matte White
- \*050 Medium Grey
- \*061 Kelly Green
- \*063 Violet
- 067 Primrose Yellow
- 068 Beige
- 071 Teal
- \*074 Royal Purple
- \*075 Lavender
- \*076 Magenta
- \*080 Matte Yellow
- 102 Cr. White (**Blue Liner**)
- 108 Peacock Blue
- \*124 Fiesta Pink
- 125 Wild Cardinal Red
- 126 Emerald Green
- \*133 Tangerine
- \*142 Forest Green
- \*168 Plum
- 172 Poppy Red
- \*182 Sunbeam Yellow
- \*\*200 Matte Clear (**discontinued**, Available While Supplies Last)
- \*257 Lime Green
- \*266 Patriot Blue
- \*268 Flat Black

4200 Series Special

- 113 Coral
- 202 Restful White
- 206 Breakfast Blue
- 224 Rose Gold
- 252 Mint Green

\* Max width 48"

\*\* Max width 54"



# 4301

## Lumina® Matte Self Adhesive Removable Vinyl Film



Lumina 4301 Series is a calendered vinyl film designed for producing specialty graphics, wall words, signage and decals requiring medium term durability with clean removal. 4301 Series features a matte finish, which provides maximum visibility by eliminating unwanted glare. For best results use with Lumina 2602 application tape. To order punched material, use part number 4351.

### Key Features

**Film Technology:** Calendered  
**Film Thickness:** 3.0 mil.  
**Finish:** Matte  
**Blockout:** Yes  
**Outdoor Durability:** 1 Year  
**Adhesive / Color:** Removable / Clear

**Liner:** 78# Clay coated  
**Conformability:** Flat Surfaces

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

### Shelf Life:

6 Months

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: Yes  
 Minimum Application °F: 40° F  
 Interior / Exterior: Interior and Exterior

### Ordering Information

4301 (Unpunched)				
Part No.	Roll Size	Blk/White	Color	Special
-4815	48"X50Yds	317.37	349.11	375.96
-4803	48"X10Yds	69.83	76.80	82.71
-2415	24"X50Yds	158.68	174.55	187.98
-2403	24"X10Yds	34.91	38.40	41.36
-1515	15"X50Yds	105.79	116.37	125.32
-1503	15"X10Yds	25.39	27.93	30.07
-1215	12"X50Yds	87.28	96.01	103.39
-1203	12"X10Yds	21.82	24.00	25.85
4351 (Punched)				
Part No.	Roll Size	Blk/White	Color	Special
-1515	15"X50Yds	110.02	121.02	130.33
-1503	15"X10Yds	26.41	29.04	31.28

For Craft sizes, see Lumina® Craft Sheets and Rolls Pricebook.

### Colors Available

4301 Series Standard		4301 Series Special
001 Red	076 Magenta	113 Coral
004 Gold	080 Matte Yellow	202 Restful White
007 Silver	108 Peacock Blue	206 Breakfast Blue
008 Brown	124 Fiesta Pink	252 Mint Green
011 Dark Blue	125 Wild Cardinal Red	
032 Azure Blue	126 Emerald Green	
040 Black	133 Tangerine	
049 White (With Blue Liner)	142 Forest Green	
050 Medium Grey	168 Plum	
068 Beige	257 Lime Green	

FDC Graphic Films, Inc. - Confidential



Lumina 4305 Series Promotional Dry Erase Vinyl Film – This is a calendared vinyl film specially formulated for interior use with dry erase type materials. The product can be written on repeatedly, and then wiped clean with a dry tissue or dry erase cleaning fluid. To order punched material, use part number 4355.

Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	4.0 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	No
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# White Kraft (000), 78# Blue
<b>Conformability:</b>	Flat surfaces
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	No
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	No
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	40 °F
Interior / Exterior:	Interior

Ordering Information

4305 (Unpunched)		
Part No.	Roll Size	All
-6015	60"x50Yds	1,606.13
-6003	60"x10Yds	401.53
-5415	54"x50Yds	1,557.95
-5403	54"x10Yds	389.49
-4815	48"x50Yds	1,445.50
-4803	48"x10Yds	361.37
-3915	39"x50Yds	1,423.81
-3903	39"x10Yds	355.95
-3615	36"x50Yds	1,402.13
-3603	36"x10Yds	350.53
-3015	30"x50Yds	802.54
-3003	30"x10Yds	200.63
-2415	24"x50Yds	645.68
-2403	24"x10Yds	161.42
-2015	20"x50Yds	538.07
-2003	20"x10Yds	134.52
-1515	15"x50Yds	409.67
-1503	15"x10Yds	102.42
4355 (Punched)		
Part No.	Roll Size	All
*-3115	30"x50Yds	834.64
*-3103	30"x10Yds	208.66
-3015	30"x50Yds	834.64
-3003	30"x10Yds	208.66
-1515	15"x50Yds	426.06
-1503	15"x10Yds	106.52

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.  
\* 1/2" punch pattern

Colors Available

4305 Series

- 000 Clear
- 002 White (Blue Liner)



# 4306

## Lumina® Promotional Enamel Receptive Vinyl Film



Lumina 4306 Series Promotional Enamel Receptive Vinyl Film – This is a calendered vinyl film that is enamel receptive. This product is designed for use as offset printed color. To order punched material, use part number 4356.

### Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	4.0 mil.
<b>Finish:</b>	Matte
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	2 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	90# Layflat
<b>Conformability:</b>	Flat and Simple Curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	No
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	50 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

4306 (4356 Punched)		
Part No.	Roll Size	All
-5403	54"x10Yds	118.81
-4803	48"x10Yds	115.84
-3903	39"x10Yds	112.94
-3603	36"x10Yds	110.12
-3103	30"x10Yds	67.19
-3015	30"x50Yds	267.79
-3003	30"x10Yds	67.19
-2403	24"x10Yds	52.80
-1915	19"x50Yds	167.21
-1903	19"x10Yds	41.80
-1515	15"x50Yds	135.10
-1503	15"x10Yds	33.90
-1215	12"x50Yds	124.97
-1203	12"x10Yds	29.99
-1015	10"x50Yds	104.14
-1003	10"x10Yds	24.99
-0815	8"x50Yds	83.31
-0803	8"x10Yds	20.00
-0615	6"x50Yds	62.48
-0603	6"x10Yds	15.00
-0515	5"x50Yds	56.80
-0415	4"x50Yds	45.44
-0315	3"x50Yds	34.08
-0215	2"x50Yds	22.72
-0115	1"x50Yds	12.50
-3450	3/4"x50Yds	11.28
-1250	1/2"x50Yds	8.46
-3850	3/8"x50Yds	7.20
-1450	1/4"x50Yds	6.43

Discontinued Product.  
Available While Supplies Last.

### Colors Available 4306 Series

000 Clear



4308

ASLAN Memoboard Films: Whiteboard, Clearboard



FDC 4308 Series is ASLAN WB995 Whiteboard and CB90 Clearboard films. These product features a durable polyester face designed for use as a dry erase surface. It may be repeatedly written on and wiped clean without scratching or ghosting.

Key Features

Film Technology: PET (000), PET/PVC (002)
Film Thickness: 2.0 mil. (000), 6.0 mil. (002)
Finish: Gloss
Blockout: No
Outdoor Durability: 5 Years

Ordering Information

Table with 4 columns: Part No., Roll Size, White, Clear. Rows include part numbers -5416, -5404, -2716, -2704 and their corresponding roll sizes and prices.

Adhesive / Color: Permanent / Clear

Liner: PET (000), Silicone Coated Paper (002)
Conformability: Flat Surfaces

Processing:

Computer Cut: Yes
Steel Rule: Yes
Thermal Die: Yes
Flat Bed: Yes
Sheetable: Yes
Laminate: Yes / Cold

Shelf Life:

3 Years

Printing:

Thermal Transfer: No
Solvent / Eco Solvent: No
Latex: No
UV Inkjet: No
Screen: No

Installation:

Wet Apply: No
Minimum Application °F: 59° F
Interior / Exterior: Interior / Exterior

Colors Available

4308 Series

000 Clear
002 White



**4308**

**ASLAN Memo Board Films™ - Chalk Board**



FDC 4308 Series is ASLAN C60 & C61. This product is a calendered vinyl film with a special face designed for use as a chalkboard surface. It may be repeatedly written on and wiped clean making it ideal to display often-changing information.

Key Features

**Film Technology:** Calendered  
**Film Thickness:** 6.0 mil.  
**Finish:** Matte  
**Blockout:** Yes  
**Outdoor Durability:** 2 Years

Ordering Information

4308 Chalk Board		
Part No.	Roll Size	All
-4809	48"x82FT	704.77
-4802	48"x20-1/2FT	220.24
-2409	24"x82FT	352.39
-2402	24"x20-1/2FT	110.12

**Adhesive / Color:** Removable / Clear

**Liner:** Silicone Coated Paper  
**Conformability:** Flat Surfaces

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: No  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 3 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**

Wet Apply: Yes  
 Minimum Application °F: 59° F  
 Interior / Exterior: Interior and Exterior

Colors Available

4308 Series Chalk Board

003 Black





**4308**

**ASLAN Memo Board Films™ - Liquid Chalk**



FDC series 4308 is ASLAN BB910. This product is a calendered vinyl base film with a polyester face designed for use with liquid chalk. It may be repeatedly written on and wiped clean making it ideal to display often-changing information. To order punched material, use part number 4358.

Key Features

**Film Technology:** PET/PVC Compound  
**Film Thickness:** 5.1 mil.  
**Finish:** Matte  
**Blockout:** Yes  
**Outdoor Durability:** 5 Years

Ordering Information

4308 Liquid Chalk		
Part No.	Roll Size	Black
-4816	48"x164FT	2,527.57
-4804	48"x32.8FT	631.89
-2416	24"x164FT	1,263.79
-2404	24"x32.8FT	315.95

**Adhesive / Color:** Permanent / Clear

**Liner:** Silicone Coated Paper  
**Conformability:** Flat Surfaces

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: N/A  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 3 Years

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**

Wet Apply: No  
 Minimum Application °F: 59° F  
 Interior / Exterior: Interior

Colors Available

4308 Series Liquid Chalk

040 Black



FDC 4310 Series is RTape ChalkTalk™. This product is a non-PVC film coated with a repositionable, removable adhesive. Its grainy texture provides an exceptional finish for writing and drawing with chalk. ChalkTalk is perfect for use as a restaurant menu board or as an appliqué in a home environment. Wipes clean with an eraser, damp towel or sponge.

Key Features

**Film Technology:** Calendered PVC  
**Film Thickness:** 5.0 mil.  
**Finish:** Black  
**Blockout:** Matte  
**Outdoor Durability:** Yes  
 6 months

Ordering Information

4310		
Part No.	Roll Size	All
-5408	54"X25Yds	757.27
-2408	24"X25Yds	375.70

**Adhesive / Color:** High Peel Removable / Clear

**Liner:** 90# Layflat  
**Conformability:** Flat Surfaces

**Processing:**

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: No

**Shelf Life:** 1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: Yes  
 Latex: Yes  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**

Wet Apply: No  
 Minimum Application °F: 40° F  
 Interior / Exterior: Interior and Exterior

Colors Available

4310 Series

040 Black



Lumina 4725 Series Intermediate Vinyl Film – This is a premium 6-year calendered vinyl that is ideal for general purpose signage. This can also be used for banners, window lettering, show cards and exhibit displays. To order punched material, use part number 4775.

Key Features

<b>Film Technology:</b>	Calendered
<b>Film Thickness:</b>	3.2 mil.
<b>Finish:</b>	Semi Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	6 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	78# Kraft
<b>Conformability:</b>	Flat and simple curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	50 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

4725 (Unpunched)			
Part No.	Roll Size	BWC	Colors
-6015	60"x50Yds	441.62	484.60
-6003	60"x10Yds	110.41	121.15
-4815	48"x50Yds	355.32	389.84
-4803	48"x10Yds	88.83	97.46
-3915	39"x50Yds	349.99	383.99
-3903	39"x10Yds	87.50	96.00
-3615	36"x50Yds	344.66	378.14
-3603	36"x10Yds	86.17	91.33
-3015	30"x50Yds	214.35	224.05
-3003	30"x10Yds	53.59	56.01
-2415	24"x50Yds	169.51	179.65
-2403	24"x10Yds	42.38	44.91
-2015	20"x50Yds	141.25	149.71
-2003	20"x10Yds	35.31	37.43
-1515	15"x50Yds	110.22	117.33
-1503	15"x10Yds	27.56	29.33
4775 (Punched)			
Part No.	Roll Size	BWC	Colors
*-3115	30"x50Yds	222.92	233.01
*-3103	30"x10Yds	55.73	58.25
-3015	30"x50Yds	222.92	233.01
-3003	30"x10Yds	55.73	58.25
-1515	15"x50Yds	114.63	122.02
-1503	15"x10Yds	28.66	30.51

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

\* 1/2" punch pattern

Colors Available  
4725 Series

see next page

Colors Available

## 4725 Series

006 Yellow	071 Teal
010 Gloss White (Blue Liner)	*075 Lavender
012 Gloss Black	076 Magenta
*013 Tomato Red	080 Matte Yellow
014 Bright Orange	114 Transparent
*019 Deep Mahogany Brown	120 Satin Aluminum
020 Matte White	*131 Satin Gold
025 Sunflower	135 Primrose Yellow
037 Sapphire Blue	186 Bright Green
*038 Royal Purple	197 Light Navy
053 Cardinal Red	*214 Light Ash Grey
056 Dark Green	222 Flat Black
*057 Olympic Blue	262 Baby Blue
063 Geranium Red	263 New Beige
*068 Dark Burgundy	

\* Not available in 60" widths



FDC 4826 Series is R Tape VinylEfx® Smooth Mirror pattern Outdoor Durable series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to general purpose graphics, signage and decals. To order punched material, use part number 4876.

Key Features

<b>Film Technology:</b>	Metalized PVC
<b>Film Thickness:</b>	3.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	3 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	88# Layflat
<b>Conformability:</b>	Flat surfaces and simple curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	Yes
Latex:	No
UV Inkjet:	Yes
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	60 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

Smooth Finish			
4826 (Unpunched)			
Part No.	Roll Size	Silver	Colors
-4815	48"x50Yds	1,815.60	2,051.41
-4803	48"x10Yds	386.44	435.53
-4802	48"x5Yds	269.84	302.98
-3015	30"x50Yds	1,134.75	1,282.15
-3003	30"x10Yds	241.52	272.19
-3002	30"x5Yds	168.65	189.36
-2415	24"x50Yds	907.80	1,025.71
-2403	24"x10Yds	193.22	217.78
-2402	24"x5Yds	134.92	151.49
-1515	15"x50Yds	603.81	675.58
-1503	15"x10Yds	128.04	142.02
-1502	15"x5Yds	89.53	99.61
4876 (Punched)			
Part No.	Roll Size	Silver	Colors
*-3115	30"x10Yds	1,180.14	1,333.43
*-3103	30"x5Yds	251.19	283.08
*-3102	30"x5Yds	175.40	196.94
-3015	30"x50Yds	1,180.14	1,333.43
-3003	30"x10Yds	251.19	283.08
-3002	30"x5Yds	175.40	196.94
-1515	15"x50Yds	627.96	702.60
-1503	15"x10Yds	133.16	147.70
-1502	15"x5Yds	93.11	103.60

\* 1/2" punch pattern

Colors Available

- 4826 Series - Smooth Finish
- 104 Smooth Mirror Gold (OD-3102) (Printable)
- 107 Smooth Mirror Silver (OD-3101) (Printable)
- 224 Smooth Mirror Rose Gold (Printable)



FDC 4826 Series is R Tape VinylEfx® Fine Brush pattern Outdoor Durable Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to general purpose graphics, signage and decals. To order punched material, use part number 4876.

Key Features

<b>Film Technology:</b>	Metalized PVC
<b>Film Thickness:</b>	3.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	Yes
<b>Outdoor Durability:</b>	3 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	88# Layflat
<b>Conformability:</b>	Flat surfaces and simple curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	1 Year
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	Yes
Latex:	No
UV Inkjet:	Yes
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	No
Minimum Application °F:	60 °F
Interior / Exterior:	Interior and Exterior

Ordering Information

Fine Brushed			
4826 (Unpunched)			
Part No.	Roll Size	Silver	Colors
-4815	48"x50Yds	2,051.41	2,414.35
-4803	48"x10Yds	435.53	511.28
-4802	48"x5Yds	302.98	358.21
-3015	30"x50Yds	1,282.15	N/A
-3003	30"x10Yds	272.19	N/A
-3002	30"x5Yds	189.36	N/A
-2415	24"x50Yds	1,025.71	1,207.19
-2403	24"x10Yds	217.78	255.62
-2402	24"x5Yds	151.49	179.11
-1515	15"x50Yds	675.58	793.94
-1503	15"x10Yds	142.02	166.69
-1502	15"x5Yds	99.61	116.38
4876 (Punched)			
Part No.	Roll Size	Silver	Colors
*-3115	30"x10Yds	1,333.43	N/A
*-3103	30"x5Yds	283.08	N/A
*-3102	30"x5Yds	196.94	N/A
-3015	30"x50Yds	1,333.43	N/A
-3003	30"x10Yds	283.08	N/A
-3002	30"x5Yds	196.94	N/A
-1515	15"x50Yds	702.60	825.69
-1503	15"x10Yds	147.70	173.36
-1502	15"x5Yds	103.60	121.03

\* 1/2" punch pattern

Colors Available

- 4826 Series - Brushed Finish
- 204 Fine Brushed Gold (Printable)
  - 207 Fine Brushed Silver (Printable)
  - 324 Fine Brushed Rose Gold (Printable)



4826

R Tape VinylEfx®: Florentine Leaf, Outdoor Durable



FDC 4826 Series is R Tape VinylEfx® Florentine Leaf pattern Outdoor Durable Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to general purpose graphics, signage and decals. To order punched material, use part number 4876.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 3 Years  
**Adhesive / Color:** Permanent / Clear  
**Liner:** 88# Layflat  
**Conformability:** Flat surfaces and simple curves

Ordering Information

Florentine Leaf Finish 4826 (Unpunched)		
Part No.	Roll Size	Gold
-2415	24"x50Yds	1,207.19
-2403	24"x10Yds	255.62
-2402	24"x5Yds	179.11
-1515	15"x50Yds	793.94
-1503	15"x10Yds	166.69
-1502	15"x5Yds	116.38
4876 (Punched)		
Part No.	Roll Size	Gold
-1515	15"x50Yds	825.69
-1503	15"x10Yds	173.36
-1502	15"x5Yds	121.03

Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

Shelf Life:

1 Year

Printing:

Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

Installation:

Wet Apply: No  
 Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

4826 Series - Florentine Leaf Finish  
 004 Florentine Leaf Gold (OD-4402)



4826

R Tape VinylEfx®: Large Engine Turn, Outdoor Durable



FDC 4826 Series is R Tape VinylEfx® Large Engine Turn pattern Outdoor Durable Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to general purpose graphics, signage and decals. To order punched material, use part number 4876.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 3 Years

**Adhesive / Color:** Permanent / Clear

**Liner:** 88# Layflat  
**Conformability:** Flat surfaces and simple curves

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

Large Engine Turn		
4826 (Unpunched)		
Part No.	Roll Size	Gold
-4815	48"x50Yds	2,414.35
-4803	48"x10Yds	511.28
-4802	48"x5Yds	358.21
-2415	24"x50Yds	1,207.19
-2403	24"x10Yds	255.62
-2402	24"x5Yds	179.11
-1515	15"x50Yds	793.94
-1503	15"x10Yds	166.69
-1502	15"x5Yds	116.38
4876 (Punched)		
Part No.	Roll Size	Gold
-1515	15"x50Yds	825.69
-1503	15"x10Yds	173.36
-1502	15"x5Yds	121.03

Colors Available

4826 Series - Large Engine Turn Finish  
041 Large Engine Turn Gold (OD-1967)





4827

R Tape VinylEfx®: Diamond Plate™, Outdoor Durable



FDC 4827 Series is R Tape VinylEfx® Diamond Plate™ pattern Outdoor Durable Series film. VinylEfx® products are metallized PVC films designed to give the appearance of metallic materials or finishes and add special effects to general purpose graphics, signage and decals. To order punched material, use part number 4877.

Key Features

**Film Technology:** Metalized PVC  
**Film Thickness:** 3.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 3 Years

**Adhesive / Color:** Permanent / Clear

**Liner:** 88# Layflat  
**Conformability:** Flat surfaces and simple curves

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 1 Year

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: Yes  
 Latex: No  
 UV Inkjet: Yes  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

4827 (Unpunched)		
Part No.	Roll Size	Silver
-4815	48"x50Yds	2,051.41
-4803	48"x10Yds	435.53
-4802	48"x5Yds	302.98
-2415	24"x50Yds	1,025.71
-2403	24"x10Yds	217.78
-2402	24"x5Yds	151.49
-1515	15"x50Yds	675.58
-1503	15"x10Yds	142.02
-1502	15"x5Yds	99.61
4877 (Punched)		
Part No.	Roll Size	Silver
-1515	15"x50Yds	702.60
-1503	15"x10Yds	147.70
-1502	15"x5Yds	103.60

Colors Available

4827 Series - Diamond Plate  
007 Silver (OD-K301) (Printable)



# 5100

## 3M™ 5100 Scotchlite™ Reflective Graphic Film



FDC 5100 Series is 3M™ 5100 Scotchlite™ Reflective Graphic Film. These films are enclosed lens, retroreflective, engineer grade films that offer flexibility and excellent angularity. Use these long-term durable films for decals, commercial and non-regulated signage, vehicle markings, emblems and striping on vertical, flat or curved surfaces with or without rivets. To order punched material, use part number 5150.

### Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 7.0 mil.  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7 Years  
**Adhesive / Color:** Permanent / Clear  
**Liner:** Polyethylene-coated paper  
**Conformability:** Flat Surfaces, Simple Curves, Rivets

### Ordering Information

5100 (5150 Punched)			
Part No.	Roll Size	White	Colors
-4815	48"x50Yds	1,621.36	1,755.05
-4803	48"x10Yds	340.49	368.56
-3115	30"x50Yds	1,032.47	1,117.60
-3103	30"x10Yds	216.82	234.70
-3015	30"x50Yds	1,032.47	1,117.60
-3003	30"x10Yds	216.82	234.70
-2415	24"x50Yds	810.68	877.52
-2403	24"x10Yds	170.24	184.28
-1515	15"x50Yds	516.24	558.80
-1503	15"x10Yds	108.41	117.35

**Discontinued Product.**  
**Available While Supplies Last.**

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes

### Shelf Life:

2 Years

### Printing:

Thermal Transfer: Yes  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

### Installation:

Wet Apply: No  
 Minimum Application °F: 50 °F w/o rivets / 55 °F w/ rivets  
 Interior / Exterior: Interior and Exterior

### Colors Available

#### 5100 Series

010 White	075 Blue
014 Orange	076 Light Blue
064 Gold	077 Green
065 Rich Gold	078 Light Green
071 Yellow	079 Brown
072 Red	081 Lemon Yellow
	082 Ruby Red

FDC Graphic Films, Inc. - Confidential



# 5101

## 3M™ 5100R Scotchlite™ Reflective Graphic Film



FDC 5101 Series is 3M™ 5100R Scotchlite™ Reflective Graphic Film. These films are removable, enclosed lens, retroreflective, engineer grade films that offer flexibility and excellent angularity. Use these long-term durable films for decals, commercial and non-regulated signage, vehicle markings, emblems and striping on vertical, flat or curves surfaces with or without rivets. To order punched material, use part number 5151.

### Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 7.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7 Years

**Adhesive / Color:** Removable / Clear  
 (Removable up to 3 years)

**Liner:** Polyethylene Coated LF  
**Conformability:** Flat and simple curves, rivets

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 2 Years

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 50 °F w/o rivets / 55 °F w/ rivets  
 Interior / Exterior: Interior and Exterior

### Ordering Information

5101 (Unpunched)			
Part No.	Roll Size	White	Colors
-4815	48"x50Yds	1,695.45	1,831.07
-4803	48"x10Yds	356.04	384.52
-3015	30"x50Yds	1,187.62	1,166.01
-3003	30"x10Yds	249.41	244.86
-2415	24"x50Yds	847.72	915.53
-2403	24"x10Yds	178.02	192.26
-1515	15"x50Yds	539.82	583.00
-1503	15"x10Yds	113.36	122.43
5151 (Punched)			
Part No.	Roll Size	White	Colors
*-3115	30"x50Yds	1,235.12	1,212.65
*-3103	30"x10Yds	259.39	254.66
-3015	30"x50Yds	1,235.12	1,212.65
-3003	30"x10Yds	259.39	254.66
-1515	15"x50Yds	561.42	606.32
-1503	15"x10Yds	117.90	127.33

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

\* 1/2" punch pattern

### Colors Available

#### 5101 Series

010 White	076 Light Blue
014 Orange	077 Green
064 Gold	078 Light Green
065 Rich Gold	079 Brown
071 Yellow	081 Lemon Yellow
072 Red	082 Ruby Red
074 Royal Purple	085 Black
075 Blue	

FDC Graphic Films, Inc. - Confidential



5800

3M™ 580 Scotchlite™ Reflective Graphic Film



FDC 5800 Series is 3M™ 580 Scotchlite™ Reflective Graphic Film. These films are flexible, enclosed lens, retroreflective films that offer great versatility with a pressure-sensitive adhesive. These long-term durable films are designed for commercial vehicle, railroad and sign graphics, and striping on vertical, flat and curved surfaces, with or without rivets. To order punched material, use part number 5850.

Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 7.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 7 Years

**Adhesive / Color:** Permanent / Clear

**Liner:** Polyethylene-coated paper  
**Conformability:** Flat with rivets, moderate compound curves, corrugated surfaces

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Yes / Cold

**Shelf Life:** 2 Years

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 55 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

5800 (5850 Punched)			
Part No.	Roll Size	White	Colors
-4815	48"x50Yds	2,393.78	2,701.98
-4803	48"x10Yds	502.69	567.41
-3915	39"x50Yds	1,944.94	2,195.36
-3903	39"x10Yds	408.44	461.02
-3615	36"x50Yds	1,795.33	2,026.48
-3603	36"x10Yds	377.02	425.56
-3115	30"x50Yds	1,496.11	1,688.73
-3103	30"x10Yds	314.18	354.63
-3015	30"x50Yds	1,411.43	1,688.73
-3003	30"x10Yds	296.40	354.63
-2415	24"x50Yds	1,196.89	1,350.99
-2403	24"x10Yds	251.35	283.71
-1815	18"x50Yds	897.67	1,013.24
-1803	18"x10Yds	188.51	212.78
-1515	15"x50Yds	748.06	844.37
-1503	15"x10Yds	157.09	177.32

Discontinued Product.  
Available While Supplies Last.

Colors Available

5800 Series

- 071 Yellow
- 072 Red
- 064 Gold
- 081 Lemon Yellow
- 076 Light Blue
- 077 Green
- 014 Orange
- 075 Blue
- 082 Ruby Red



6800

3M™ 680 Scotchlite™ Reflective Graphic Film



FDC 6800 Series is 3M™ 680 Scotchlite™ Reflective Graphic Film. These films are permanent, enclosed lens, retroreflective, engineer grade films that feature flexibility and versatility with slideable, pressure-activated adhesive. Use these long-term durable films for commercial vehicle, sign, railcar and bus graphics and striping on vertical, flat, curved or corrugated surfaces, with or without rivets. To order punched material, use part number 6850.

Key Features

**Film Technology:** Retroreflective  
**Film Thickness:** 7.0 mil.

**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 9 Years

**Adhesive / Color:** Pressure Activated, Slideable / Clear

**Liner:** Polyethylene Coated LF  
**Conformability:** Flat, with or without rivets; moderate curves, corrugations

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold

**Shelf Life:** 3 Years

**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**  
 Wet Apply: No

Minimum Application °F: 50 °F w/o rivets / 55 °F w/ rivets  
 Interior / Exterior: Interior and Exterior

Ordering Information

6800 (Unpunched)			
Part No.	Roll Size	White	Color
-4815	48"x50Yds	3,516.47	3,813.69
-4803	48"x10Yds	738.46	800.87
-3615	36"x50Yds	2,637.35	2,860.27
-3603	36"x10Yds	553.84	600.66
-3015	30"x50Yds	2,239.00	2,428.25
-3003	30"x10Yds	470.19	509.93
-2415	24"x50Yds	1,758.23	1,906.85
-2403	24"x10Yds	369.23	400.44
-1515	15"x50Yds	1,119.50	1,214.13
-1503	15"x10Yds	235.10	254.97
6850 (Punched)			
Part No.	Roll Size	White	Color
-3015	30"x50Yds	2,328.56	2,525.38
-3003	30"x10Yds	489.00	530.33
-1515	15"x50Yds	1,164.28	1,262.69
-1503	15"x10Yds	244.50	265.16

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

Colors Available

6800 Series

- 010 White
- 014 Orange
- 064 Gold
- 071 Yellow
- 072 Red
- 075 Blue
- 076 Light Blue
- 077 Green
- 081 Lemon Yellow
- 082 Ruby Red
- 085 Black
- 091 School Bus Yellow

FDC Graphic Films, Inc. - Confidential



6801

3M™ 680CR Scotchlite™ Removable Reflective Graphic Film w/ Comply™ Adhesive



FDC 6801 Series is 3M™ 680CR Scotchlite™ Removable Reflective with Comply™ Adhesive. These films are removable, enclosed lens, retroreflective, engineer grade films that feature flexibility and versatility with slideable, pressure-activated adhesive. Air release channels in the adhesive allow fast and easy, bubble-free graphic installation. Use these long-term durable films for commercial vehicle, sign, railcar and bus graphics and striping on vertical, flat, curved or corrugated surfaces, with or without rivets. To order punched material, use part number 6851.

Key Features

Film Technology: Retroreflective
Film Thickness: 7.0 mil.
Finish: Gloss
Blockout: Yes
Outdoor Durability: 9 Years
Adhesive / Color: Pressure Activated, Slideable, with air release channels / Clear
Liner: Polyethylene Coated Layflat
Conformability: Flat with rivets, moderate compound curves, corrugated surfaces
Processing: Computer Cut: Yes, Steel Rule: Yes, Thermal Die: Yes, Flat Bed: Yes, Sheetable: Yes, Laminate: Cold
Shelf Life: 3 Years
Printing: Thermal Transfer: No, Solvent / Eco Solvent: No, Latex: No, UV Inkjet: No, Screen: Yes
Installation: Wet Apply: No
Minimum Application °F: 40 °F w/o rivets / 45 °F w/ rivets
Interior / Exterior: Interior and Exterior

Ordering Information

Table with columns: Part No., Roll Size, White, Colors. Includes sub-tables for 6801 (Unpunched) and 6851 (Punched).

Sizes less than 12" in width are part of the FDC Striping Program. Please refer to your FDC Stripe Book for offering and pricing.

Colors Available

6801 Series

- 010 White, 014 Orange, 064 Gold, 071 Yellow, 072 Red, 075 Blue, 076 Light Blue, 077 Green, 081 Lemon Yellow, 082 Ruby Red, 085 Black

FDC Graphic Films, Inc. - Confidential



# 7125

## 3M™ 7125 Scotchcal™ ElectroCut™ Graphic Film



FDC 7125 Series is 3M™ 7125 Scotchcal™ ElectroCut™ Graphic Film. These are pressure-sensitive films designed for permanent graphics that may be prespaced and electronically cut, screen printed, or used in narrow width thermal transfer printing systems. This film, which is the same color on both sides, has a paper liner. The liner is blue on white films for easy weeding, and white for all others. To order punched material, use part number 7175.

### Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0 mil.

**Finish:** Gloss  
**Blockout:** No  
**Outdoor Durability:** 8 Years

**Adhesive / Color:** Permanent / Clear

**Liner:** 78# Kraft  
**Conformability:** Flat with and without rivets; simple curves

**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: N/A  
 Laminate: Cold

**Shelf Life:** 3 Years

**Printing:**  
 Thermal Transfer: Yes  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: Yes

**Installation:**  
 Wet Apply: Yes

Minimum Application °F: 50 °F  
 Interior / Exterior: Interior and Exterior

### Ordering Information

7125 (Unpunched)				
Part No.	Roll Size	BWC	Colors	Metallic
-6015	60"x50Yds	1,071.34	1,233.70	1,337.77
-6003	60"x10Yds	224.98	259.08	280.93
-4815	48"x50Yds	857.07	986.96	1,070.21
-4803	48"x10Yds	179.99	207.26	224.74
-3015	30"x50Yds	545.59	628.27	681.27
-3003	30"x10Yds	114.57	131.94	143.07
-2415	24"x50Yds	436.47	502.62	545.02
-2403	24"x10Yds	91.66	105.55	114.45
-1515	15"x50Yds	272.80	314.14	340.63
-1503	15"x10Yds	57.29	65.97	71.53
7175 (Punched)				
Part No.	Roll Size	BWC	Colors	Metallic
-3015	30"x50Yds	567.41	653.40	708.52
-3003	30"x10Yds	119.16	137.21	148.79
-1515	15"x50Yds	283.71	326.70	354.26
-1503	15"x10Yds	59.58	68.61	74.39

Sizes less than 12" in width are part of the FDC Striping Program.  
 Please refer to your FDC Stripe Book for offering and pricing.

Colors Available  
 7125 Series

see next page

Colors Available

7125 Series

010 White (w/ Blue Liner)	*088 Violet ( <i>discontinued</i> )
*011 Pearl Grey	*089 Sandstone
012 Black	*090 Antique White
013 Tomato Red	091 Dove Gray
*014 Bright Orange	*093 Imperial Red
015 Bright Yellow	*096 Teal
*016 Khaki Green	*097 Soft Blue
*017 Vivid Blue	*098 Dark Violet
*019 Deep Mahogany Brown	*099 Fawn
020 Matte White	101 Nimbus Gray
022 Matte Black	*103 Magenta
*023 Deep Red	*105 Harvest Gold
*024 Terra Cotta	*107 Light Blue
025 Sunflower	114 Transparent
*027 Indigo	*117 Persian Blue
*029 Russet Brown	120 Satin Aluminum
*031 Medium Grey	121 Light Gray
037 Sapphire Blue	*127 Boat Blue
038 Royal Purple	131 Satin Gold
*039 Tan	*136 Lime Green
*041 Dark Grey	151 Traffic Gray
*046 Kelly Green	*177 Shadow Blue
047 Intense Blue	*186 Bright Green
*048 Purple	*187 Wedgewood Blue
*049 Beige	196 Apple Green
053 Cardinal Red	*197 Light Navy
*054 Light Orange	201 Slate Metallic
056 Dark Green	*211 Charcoal Metallic
*057 Olympic Blue	*217 Dark Blue Metallic
058 Burgundy	*227 Bright Blue Metallic
*059 Putty	*229 Copper Metallic
*061 Mid Gray	*239 Chocolate Brown Metallic
063 Geranium	*241 Gold Metallic
*064 Apricot	*243 Steampunk Red Metallic
065 Light Lemon Yellow	*247 Petroleum Blue Metallic
066 Forest Green	*249 Champagne Metallic
069 Duranodic	*263 Perfect Match Red
*074 Red Orange	*273 Process Magenta
*077 Peacock Blue	276 Bottle Green
*078 Plum	293 Atomic Red
*081 Stone Gray	*307 Dark Aqua
*086 Robin Egg Blue	*357 Bermuda Blue
	397 Dark Blue

\* Available in 60" special order with min. 22,500 sq. ft.  
No 19" & 20" without 60" special order





# 7725

## 3M™ 7725 Scotchcal™ ElectroCut™ Graphic Film



FDC 7725 Series is 3M™ 7725 Scotchcal™ ElectroCut™ Graphic Film. These are pressure-sensitive films designed for permanent graphics that may be prespaced and electronically cut, screen printed or used in narrow width thermal transfer printing systems. These films, which are the same color on both sides, have a transparent synthetic liner that resists moisture absorption & static buildup, lays flat for easier assembly of multicolor graphics & allows superior cutting and weeding. To order punched material, use part number 7775.

### Key Features

<b>Film Technology:</b>	Cast
<b>Film Thickness:</b>	2.0 mil.
<b>Finish:</b>	Gloss
<b>Blockout:</b>	No
<b>Outdoor Durability:</b>	8 Years
<b>Adhesive / Color:</b>	Permanent / Clear
<b>Liner:</b>	Transparent Synthetic
<b>Conformability:</b>	Flat with and without rivets; simple curves
<b>Processing:</b>	
Computer Cut:	Yes
Steel Rule:	Yes
Thermal Die:	Yes
Flat Bed:	Yes
Sheetable:	Yes
Laminate:	Cold
<b>Shelf Life:</b>	3 Years
<b>Printing:</b>	
Thermal Transfer:	Yes
Solvent / Eco Solvent:	No
Latex:	No
UV Inkjet:	No
Screen:	Yes
<b>Installation:</b>	
Wet Apply:	Yes
Minimum Application °F:	50 °F
Interior / Exterior:	Interior and Exterior

### Ordering Information

7725 (Unpunched)				
Part No.	Roll Size	BWC	Colors	Metallic
-6015	60"x50Yds	1,303.38	1,514.43	1,657.66
-6003	60"x10Yds	273.71	318.03	348.10
-4815	48"x50Yds	1,042.71	1,211.54	1,326.13
-4803	48"x10Yds	218.97	254.42	278.48
-3615	36"x50Yds	782.03	908.66	994.59
-3603	36"x10Yds	164.23	190.82	208.86
-3015	30"x50Yds	663.92	771.42	844.38
-3003	30"x10Yds	139.42	162.00	177.32
-2415	24"x50Yds	531.14	617.14	675.51
-2403	24"x10Yds	111.54	129.60	141.85
-1515	15"x50Yds	331.96	385.71	422.19
-1503	15"x10Yds	69.71	81.00	88.66
7775 (Punched)				
Part No.	Roll Size	BWC	Colors	Metallic
-3015	30"x50Yds	690.48	802.28	878.16
-3003	30"x10Yds	145.00	168.48	184.41
-1515	15"x50Yds	345.24	401.14	439.08
-1503	15"x10Yds	72.50	84.24	92.20

Sizes less than 12" in width are part of the FDC Striping Program.  
Please refer to your FDC Stripe Book for offering and pricing.

Colors Available  
7725 Series

see next page

Colors Available

7725 Series

010 White	*089 Sandstone
*011 Pearl Grey	*090 Antique White
012 Black	091 Dove Gray
013 Tomato Red	*093 imperial Red
*014 Bright Orange	*096 Teal
015 Bright Yellow	*097 Soft Blue
*016 Khaki Green	*098 Dark Violet
*017 Vivid Blue	*099 Fawn
*019 Deep Mahogany Brown	101 Nimbus Gray
020 Matte White	*103 Magenta
022 Matte Black	*105 Harvest Gold
*023 Deep Red	*107 Light Blue
*024 Terra Cotta	114 Transparent
025 Sunflower	*117 Persian Blue
*027 Indigo	120 Satin Aluminum
*029 Russet Brown	121 Light Gray
*031 Medium Grey	*127 Boat Blue
037 Sapphire Blue	*131 Satin Gold
*038 Royal Purple	*136 Lime Green
*039 Tan	151 Traffic Gray
*041 Dark Grey	*177 Shadow Blue
*046 Kelly Green	*186 Bright Green
*047 Intense Blue	*187 Wedgewood Blue
*048 Purple	*196 Apple Green
*049 Beige	197 Light Navy
053 Cardinal Red	*201 Slate Metallic
*054 Light Orange	*211 Charcoal Metallic
*056 Dark Green	*217 Dark Blue Metallic
*057 Olympic Blue	*227 Bright Blue Metallic
*058 Burgundy	229 Copper Metallic
*059 Putty	*239 Chocolate Brown Metallic
*061 Mild Gray	*241 Gold Metallic
*063 Geranium	*243 Steampunk Red Metallic
*064 Apricot	*247 Petroleum Blue Metallic
065 Light Lemon Yellow	*249 Champagne Metallic
*066 Forest Green	*263 Perfect Match Red
069 Duranodic	*273 Process Magenta
*074 Red Orange	276 Bottle Green
*077 Peacock Blue	293 Atomic Red
*078 Plum	*307 Dark Aqua
*081 Stone Gray	*357 Bermuda Blue
*086 Robin Egg Blue	397 Dark Blue

\* Available in 60" special order with min. 22,500 sq. ft.  
No 19" & 20" without 60" special order



7725

3M™ 7725SE Scotchcal™ ElectroCut™ Graphic Film



FDC 7725SE is 3M™ 7725SE Scotchcal™ Electrocut™ Graphic Film. These are pressure-sensitive films designed for permanent graphics. Use these films to create unique, special effect films. The transparent dusted crystal film and the five colors of frosted crystal film have transparent synthetic liners, which resist moisture absorption and static buildup for easier cutting and assembly, and are intended only for cut graphics. The fluorescent films, available in six colors, have a paper liner and can be screen printed or electronically cut. To order punched material, use part number 7775.

Key Features

**Film Technology:** Cast  
**Film Thickness:** 2.0-3.25 mil.  
**Finish:** Dusted/Frosted/Fluorescent  
**Blockout:** No  
**Outdoor Durability:** 1-3 Years  
**Adhesive / Color:** Permanent / Clear  
 (\*Exceptions Noted)  
**Liner:** Trans. Synthetic/K. Paper  
**Conformability:** Flat surfaces  
**Processing:**  
 Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: Cold  
**Shelf Life:** 3 Years  
**Printing:**  
 Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No  
**Installation:**  
 Wet Apply: Yes  
 Minimum Application °F: 40 °F  
 Interior / Exterior: Interior and Exterior

Ordering Information

7725 (Unpunched)				
Part No.	Roll Size	Dusted / Frosted	Colored Frosted	Fluorescent
-6015	60"x50Yds	2,074.99	N/A	N/A
-6003	60"x10Yds	435.75	N/A	N/A
-4815	48"x50Yds	1,659.99	1,659.99	2,053.65
-4803	48"x10Yds	348.60	348.60	431.27
-3615	36"x50Yds	1,244.99	1,244.99	1,540.24
-3603	36"x10Yds	261.45	261.45	323.45
-3015	30"x50Yds	1,037.49	1,037.49	1,283.53
-3003	30"x10Yds	217.87	217.87	269.54
-2415	24"x50Yds	845.70	845.70	1,046.25
-2403	24"x10Yds	177.60	177.60	219.71
-1515	15"x50Yds	528.56	528.56	653.91
-1503	15"x10Yds	111.00	111.00	137.32
7725 (Unpunched)				
Part No.	Roll Size	Dusted / Frosted	Colored Frosted	Fluorescent
-3015	30"x50Yds	1,078.99	1,078.99	1,334.87
-3003	30"x10Yds	226.59	226.59	280.32
-1515	15"x50Yds	549.70	549.70	680.06
-1503	15"x10Yds	115.44	115.44	142.81

Sizes less than 12" in width are part of the FDC Stripping Program. Please refer to your FDC Stripe Book for offering and pricing.

Colors Available  
7725 Series

Fluorescent Series (Standard)

- \*404 Orange
- \*405 Yellow
- \*406 Green
- \*407 Blue
- \*413 Fuschia
- 414 Red-Orange (\*Grey Adhesive)
- \* special order if no inventory available

Dusted/Frosted Series (Standard)

- 314 Dusted Crystal
- 324 Frosted Crystal

Colored Frosted Series (Standard)

- \*323 Frosted Rose
- \*327 Frosted Blue Mist
- \*331 Frosted Gold
- \* special order if no inventory

FDC Graphic Films, Inc. - Confidential



# 8400

## ASLAN Illustra Glass Decoration Films, Dryapply Adhesive



FDC 8400 Series is ASLAN Illustra Glass Decoration Films. These films give a fresh and modern appearance. The transparent film is printed with an appealing white design and is ideal for applications that require sight protection while ensuring high light transmission. Dryapply adhesive features fine air release channels which allow air to be wiped out with ease, making application fast and simple.

### Key Features

**Film Technology:** Calendered  
**Film Thickness:** 3.14 mil.  
**Finish:** Matte  
**Blockout:** No  
**Outdoor Durability:** 7 Years

### Ordering Information

8400				
Part No.	Roll Size	Linen	Snow	Dot
-5416	54"X164Ft	2,367.44	2,459.75	2,459.75
-5409	54"X82Ft	1,302.09	1,352.86	1,352.86
-5405	54"X41Ft	710.24	737.93	737.93

**Discontinued Product.**  
**Available While Supplies Last.**

**Adhesive / Color:** Dryapply - Permanent / Clear

**Liner:** PE Coated Paper  
**Conformability:** Flat surfaces

### Processing:

Computer Cut: Yes  
 Steel Rule: Yes  
 Thermal Die: Yes  
 Flat Bed: Yes  
 Sheetable: Yes  
 Laminate: N/A

**Shelf Life:** 3 Years

### Printing:

Thermal Transfer: No  
 Solvent / Eco Solvent: Yes  
 Latex: N/A  
 UV Inkjet: Yes  
 Screen: Yes

### Installation:

Wet Apply: No  
 Minimum Application °F: 59 °F  
 Interior / Exterior: Interior / Exterior

### Colors Available

8400 Series

350 Linen  
 351 Snow  
 352 Dot



FDC 9810 Series is 3M™ 983 Diamond Grade™ Conspicuity Markings. These are highly retroreflective microprismatic markings designed to mark the sides and rear of vehicles for enhanced visibility and detection. The reflective marking consists of prismatic lenses that are formed in a transparent, synthetic resin, sealed and backed with a pressuresensitive adhesive and clear poly liner.

Key Features

**Film Technology:** Prismatic Reflective  
**Film Thickness:** 14 mil - 16 mil  
**Finish:** Gloss  
**Blockout:** Yes  
**Outdoor Durability:** 8 Years

Ordering Information

9810		
Part No.	Roll Size	All
-0615	6"x50Yds	379.71
-0415	4"x50Yds	253.14
-0315	3"x50Yds	189.85
-0215	2"x50Yds	126.57
-9015	1-1/2"x50Yds	94.93

Special order if no stock available

**Adhesive / Color:** Permanent / Clear

**Liner:** 90# Layflat  
**Conformability:** Flat surfaces

**Processing:**

Computer Cut: No  
 Steel Rule: No  
 Thermal Die: No  
 Flat Bed: No  
 Sheetable: No  
 Laminate: Cold

**Shelf Life:** 1 Year

**Printing:**

Thermal Transfer: No  
 Solvent / Eco Solvent: No  
 Latex: No  
 UV Inkjet: No  
 Screen: No

**Installation:** No

Wet Apply: No

Minimum Application °F: 60 °F  
 Interior / Exterior: Interior and Exterior

Colors Available

9810 Series

see next page



**9810**

**3M™ 983 Diamond Grade™ Conspicuity Markings**

Standard Colors Available 9810 Series		Minimum Order Quantity				
		6"x50Yds	4"x50Yds	3"x50Yds	2"x50Yds	1-1/2"x50Yds
010	White	1	1	16	1	N/A
021	Fluorescent Yellow	1	1	16	1	N/A
023	Fluorescent Yellow-Green	1	1	16	1	N/A
032	11" Red/7" White	1	1	7	1	1
071	Yellow	1	1	1	1	1
072	Red	1	1	1	1	N/A
326	6" Red/6" White	8	12	1	1	1

DOT-marked Colors Available 9810 Series		Minimum Order Quantity				
		6"x50Yds	4"x50Yds	3"x50Yds	2"x50Yds	1-1/2"x50Yds
110	White	1	1	1	1	N/A
121	Fluorescent Yellow	N/A	N/A	N/A	N/A	N/A
123	Fluorescent Yellow-Green	8	12	16	24	N/A
132	11" Red/7" White	1	1	1	1	N/A
171	Yellow	1	1	1	1	N/A
172	Red	1	1	1	1	N/A
426	6" Red/6" White	8	12	16	1	N/A

FDC Graphic Films, Inc. - Confidential



# Accessories

Ordering Information

Accessories			
Part No.	Color	Description	Price
ACC98SQUE-003	White	Squeegees - FDC Logo	3.44 each
BOX071500-000	Brown	6X6X15 PLAIN BOX	2.40 each
BOX071500-001	Brown	6X6X15 PRINTED BOX	2.29 each
BOX071503-000	Brown	5X5X15 PLAIN BOX	2.21 each
BOX071503-001	Brown	5X5X15 PRINTED BOX	2.21 each
BOX07150W-001	Brown	7X7X15 PRINTED BOX	3.41 each
BOX072400-000	Brown	6.25X6.25X25 PLAIN BOX	3.41 each
BOX072400-001	Brown	6.25X6.25X25 PRINTED BOX	3.41 each
BOX072403-001	Brown	5X5X25 PRINTED BOX	2.52 each
BOX07240W-000	Brown	7X7X25 PLAIN BOX	4.02 each
BOX07240W-001	Brown	7X7X25 PRINTED BOX	4.02 each
BOX073000-000	Brown	6.25X6.25X31 PLAIN BOX	3.97 each
BOX07300W-000	Brown	7X7X31 PLAIN BOX	5.25 each
BOX07300W-001	Brown	7X7X31 PRINTED BOX	5.25 each
BOX07360W-000	Brown	7X7X37 PLAIN BOX	6.49 each
BOX07360W-002	Brown	7X7X37 PRINTED BOX	6.49 each
BOX07480W-000	Brown	7X7X49 PLAIN BOX	10.34 each
BOX07480W-002	Brown	7X7X49 PRINTED BOX	10.34 each
BOX07540W-000	Brown	7X7X55 PLAIN BOX	11.74 each
BOX07540W-002	Brown	7X7X55 PRINTED BOX	11.74 each
COR961500-001	Brown	15" Core	1.69 each
COR962400-001	Brown	24" Core	2.54 each
COR963000-001	Brown	30" Core	3.19 each
COR035000-001	Brown	50" Core	5.30 each
COR036000-001	Brown	60" Core	6.47 each
9403-1820-049	White	Teflon® Sheet: Heat Transfer (18"x20")	23.41 each

# Accessories

Ordering Information

Accessories			
Part No.	Color	Description	Price
ACC-391X		3M™ Air Release Tool	42.20 each
ACC-392X		3M™ Replacement Point for Air Release Tool	14.03 each
ACC-CMP-1		3M™ Power Grip Pad	27.81 each
ACC-CPA-1		3M™ Power Grip App	79.39 each
ACC-CPA-2		3M™ Roller Applicator	79.39 each
ACC-MPP-1		3M™ Power Grip Multit-Pin Air Release Tool	81.48 each
ACC-PA-1-1	Gold	3M™ Hand Applicator (25 per Box)	101.15 box
ACC-PA-1-2	Blue	3M™ Hand Applicator (25 per box)	24.43 box
ACC-RBA-1		3M™ Rivet Brush 1"	12.87 each
ACC-RBA-3		3M™ Power Grip Rivet Brush Applicator 3"	12.59 each
ACC-ROLL-L-1		3M™ Roller L App 5 Unit	841.80 pkg
ACC-ROLL-S-1		3M™ Roller S App 5 Unit	661.41 pkg
*ACC-SA-1-1		3M™ Low Friction Sleeve (100 per Box)	49.22 each
ACC-SHWHR-903		3M™ Rubber Hand Roller 903	22.97 each
ACC-TS-KIT-1		3M™ Installation Kit	863.42 each
ACC-TSA-1		3M™ Large Text Surface Roller	175.98 each
ACC-TSA-1R		3M™ Replacement Roller TSA-1	84.16 each
ACC-TSA-2		3M™ Joints and Corners Roller	228.50 each
ACC-TSA-3		3M™ Textured Surface Applicator	228.50 each
ACC-TSA-4		3M™ Two Handed Applicator+AN55	541.15 each
ACC-TSA-4R		3M™ Replacement Roller TSA-4+AN55	119.07 each
ACC-VCAT-2		3M™ Vehicle Channel Applicator	228.50 each
SP77		3M™ 16.75 oz Adhesive Spray	18.72 each
0039-0008-114		3M™ Edge Sealer 8oz (6 per box)	118.15 box
0094-0128-029		3M™ Tape Primer 94 (1 gallon)	193.17 each
0094-0032-029		3M™ Tape Primer 94 (1 quart)	58.80 each
0094-0008-029		3M™ Tape Primer 94 (1/2 pint)	20.40 each
0094-9000-029		3M™ Tape Primer 94 (1 ampule)	1.26 each

\* Discontinued (available while supplies last)





# Pre-Masking Upcharges Chart

Part #	Width"	SF/150' Roll	FDC 2602	FDC 2612	FDC 2614	FDC 2621	FDC 2624	
			Rtape 4000 Paper	Rtape AT60n Film	Rtape 4075 Paper	3M SCPM-3 Paper	3M SCPM-44X Paper	
			0.20	0.23	0.20	0.27	0.21	
-6015	60	750	150.00	172.50	150.00	202.50	202.50	
-6003	60	150	30.00	34.50	30.00	40.50	40.50	
-5415	54	675	135.00	155.25	135.00	182.25	182.25	
-5403	54	135	27.00	31.05	27.00	36.45	36.45	
-4815	48	600	120.00	138.00	120.00	162.00	162.00	
-4803	48	120	24.00	27.60	24.00	32.40	32.40	
-3915	39	487.5	97.50	112.13	97.50	131.63	131.63	
-3903	39	97.5	19.50	22.43	19.50	26.33	26.33	
-3615	36	450	90.00	103.50	90.00	121.50	121.50	
-3603	36	90	18.00	20.70	18.00	24.30	24.30	
-3015	30	375	75.00	86.25	75.00	101.25	101.25	
-3003	30	75	15.00	17.25	15.00	20.25	20.25	
-2415	24	300	60.00	69.00	60.00	81.00	81.00	
-2403	24	60	12.00	13.80	12.00	16.20	16.20	
-1815	18	225	45.00	51.75	45.00	60.75	60.75	
-1803	18	45	9.00	10.35	9.00	12.15	12.15	
-1515	15	187.5	37.50	43.13	37.50	50.63	50.63	
-1503	15	37.5	7.50	8.63	7.50	10.13	10.13	
Striping								
-1215	12	150	30.00	34.50	30.00	40.50	40.50	
-1203	12	30	6.00	6.90	6.00	8.10	8.10	
-1015	10	125	25.00	28.75	25.00	33.75	33.75	
-1003	10	25	5.00	5.75	5.00	6.75	6.75	
-815	8	100	20.00	23.00	20.00	27.00	27.00	
-803	8	20	4.00	4.60	4.00	5.40	5.40	
-0615	6	75	15.00	17.25	15.00	20.25	20.25	
-0603	6	15	3.00	3.45	3.00	4.05	4.05	
-0515	5	62.5	12.50	14.38	12.50	16.88	16.88	
-0415	4	50	10.00	11.50	10.00	13.50	13.50	
-0315	3	37.5	7.50	8.63	7.50	10.13	10.13	
-0215	2	25	5.00	5.75	5.00	6.75	6.75	
-0115	1	12.5	2.50	2.88	2.50	3.38	3.38	
-3450	0.75	9.375	1.88	2.16	1.88	2.53	2.53	
-1250	0.5	6.25	1.25	1.44	1.25	1.69	1.69	
-3850	3/8	4.6875	0.94	1.08	0.94	1.27	1.27	
-1450	1/4	3.125	0.63	0.72	0.63	0.84	0.84	
-1850	1/8	1.5625	0.31	0.36	0.31	0.42	0.42	

Availability: >7/8" 10 yd & 50 yd -- 7/8" to 1/8" 50 yd only

Reflective Minimum Stripe Size is 3/8" or Wider

FDC Graphic Films, Inc. - Confidential



# Pricebook Changes

## June 2022

Series	What Changed in the Pricebook	Page #
50	Updated pricing.....	4
1203	Updated pricing.....	6
180mC	Updated pricing.....	7
2100	Updated color offering.....	10
2600	Updated pricing.....	15
2601	Updated pricing.....	16
2602	Updated pricing.....	17
2612	Updated pricing.....	18
2614	Updated pricing.....	19
2615	Updated pricing.....	20
2616	Updated pricing.....	21
2617	Updated pricing.....	22
2621	Updated pricing.....	23
2624	Updated pricing.....	24
2627	Updated pricing.....	25
2659	Updated pricing.....	26
2664	Updated pricing.....	27
2665	Updated pricing.....	28
2667	Updated pricing.....	29
2668	Updated pricing.....	30
2800	Updated pricing.....	32
2801	Updated pricing.....	33
2808	Updated pricing.....	35
2901	Updated pricing.....	43
3400	New Lumina product.....	50
3404	Updated pricing.....	51
3508	Updated pricing.....	53
3600	Updated pricing.....	55
3630	Updated pricing.....	56
3635	Updated pricing.....	57-63
3640	Updated pricing and noted series as discontinued.....	64-66
3730	Updated pricing.....	69
3735	Updated pricing.....	70
4200	Updated pricing.....	74
4301	Updated pricing.....	76
4306	Updated size offering.....	77
4308	Updated pricing.....	79
5100	Updated color offering.....	90
5101	Updated pricing.....	91
5800	Updated color offering.....	92
6800	Updated pricing.....	93
6801	Updated pricing.....	94
7725	Updated pricing.....	97
7125	Updated pricing.....	95
7725SE	Updated pricing.....	99
	Updated premask upcharge prices.....	105