






Laminating Supplies

2006 Price List

-  High-Temperature Films - 210°F to 240°F
-  Medium-Temperature Films - 180°F to 200°F
-  Cold/Pressure-Sensitive Films

Notes:

1. Prices are subject to change without notice.
2. Prices do not include state or local taxes.
3. Prices are FOB Seal factory and do not include freight
4. Discounts are available off listed prices.

ThermaShield High-temp Laminating Films

A family of economical, high-activation temperature (185° F - 235° F) laminating films designed to protect and enhance images in a variety of display applications. Ideal for use on any SEAL multi-temperature roller laminator.

Gloss 1.7mil polyester

Offers a crisp, high-polished finish that sharpens colors and creates a brilliant visual impact.

Stock #	Description	Price
62402	38" x 500' (965mm x 152m)	\$121.00
62403	51" x 500' (1.29 x 152m)	163.00
62404	38" x 25' (965mm x 7.6m)	24.00

Gloss 3mil (1/2) polyester

62406	38" x 500' (965mm x 152m)	170.00
62410	43" x 500' (1.09 x 152m)	207.00
62407	51" x 500' (1.29 x 152m)	242.00
62409	38" x 25' (965mm x 7.6m)	23.00

Gloss 5mil (2/3) polyester

62411	38" x 250' (965mm x 76m)	181.00
62415	43" x 250' (1.09 x 76m)	230.00
62412	51" x 250' (1.29 x 76m)	253.00
62414	38" x 25' (965mm x 7.6m)	24.00

Gloss 10mil (4/6) polyester

62416	38" x 250' (965mm x 76m)	381.00
62417	51" x 250' (1.29 x 76m)	508.00
62419	38" x 25' (965mm x 7.6m)	24.00

Luster 3mil (1/2) polyester

Provides a semi-reflective, sparkling finish which enhances image contrast and reduces glare from direct light.

62421	38" x 500' (965mm x 152m)	272.00
62422	51" x 500' (1.29 x 152m)	369.00
62423	61" x 500' (1.55 x 152m)	441.00
62424	38" x 25' (965mm x 7.6m)	24.00

Matte 3mil (1/2) polyester

Creates a softening effect that diminishes reflections and glare as well as hiding imperfections.

62426	38" x 500' (965mm x 152m)	290.00
62430	43" x 500' (1.09 x 152m)	328.00
62427	51" x 500' (1.29 x 152m)	387.00
62429	38" x 25' (965mm x 7.6m)	24.00

Low Temp Heat-Set Laminating Films

Print Guard UV

Print Guard UV is a family of laminating films that feature superb ultraviolet protection, low activation temperatures (185° F - 195° F) and an aggressive solvent acrylic adhesive. These films are ideal for use on a wide range of medias and display applications. Print Guard UV films can be applied with any SEAL multi-temperature roller laminator.

Gloss

Provides a brilliant, high gloss finish for maximum visual impact. 2mil (1/1) polyester film.

2049	38" x 150' (965mm x 45.7m)	\$ 447.00
2071	41" x 150' (1.04 x 45.7m)	477.00
2072	51" x 150' (1.29 x 45.7m)	584.00
60277	38" x 25' (965mm x 7.6m)	28.00

Luster

Offers a sparkling semi-gloss finish that reduces glare and reflection while adding rich color enhancement. 3mil (2/1) PVC film.

2073	25" x 150' (635mm x 45.7m)	269.00
1315-3	38" x 150' (965mm x 45.7m)	417.00
1685-3	41" x 150' (1.04 x 45.7m)	442.00
1662	41" x 400' (1.04 x 122m)	1,187.00
2272	51" x 150' (1.29 x 45.7m)	525.00
2273	51" x 400' (1.29 x 122m)	1,324.00
60304	38" x 25' (965mm x 7.6m)	28.00

Satin Matte

Delivers a soft moderately-reflective finish that enhances colors while reducing glare for easy viewing. 3mil (2/1) PVC film.

2074	25" x 150' (635mm x 45.7m)	298.00
1318-3	31" x 150' (787mm x 45.7m)	352.00
1316-3	38" x 150' (965mm x 45.7m)	447.00
1683-3	41" x 150' (1.04 x 45.7m)	477.00
1660	41" x 400' (1.04 x 122m)	1,276.00
1673	43" x 150' (1.09 x 45.7m)	501.00
1669	43" x 400' (1.09 x 122m)	1,129.00
2274	51" x 150' (1.29 x 45.7m)	586.00
2278	51" x 400' (1.29 x 122m)	1,324.00
60316	38" x 25' (965mm x 7.6m)	28.00

Ultra Matte

Provides a flat finish that softens images while eliminating glare and reflections. 4mil (3/1) PVC film.

11056	41" x 328' (formerly catalog no. 1832) (1.04 x 100m)	929.00
11238	49" x 328' (formerly catalog no. 1830) (1.25 x 100m)	981.00

Low Temp Heat-Set Laminating Films

Floor Guard

Floor Guard is a premium non-slip, heat-activated (200° F) over-laminating film with an aggressive solvent acrylic adhesive specifically designed for the creation of interior floor graphics. It offers a non-reflective textured finish that affords clear viewing while also providing a durable, scuff-resistant, waxable surface. Meets international standards for slip resistance. Constructed from 5mil (4/1) PVC. Floor Guard also doubles as an excellent pop-up display over-laminate for trade show graphics. The textured finish hides and masks finger prints and resists scuffing from rigorous handling of panels.

2962	38" x 200' (965mm x 61m)	537.00
2961	51" x 200' (1.29 x 61m)	649.00
60324	38" x 25' (965mm x 7.6m)	34.00

Linerless Print Guard

Linerless Print Guard features a uniquely new adhesive technology to laminate even the toughest prints and it is liner-free to reduce waste and cut production costs. Armed with basic UV protection and a choice of three finishes, select Linerless Print Guard for your everyday output.

Gloss

Made from quality polyester to deliver a dynamically vibrant, glossy finish. 3mil (1/2) polyester film.

62501	38" x 200' (965mm x 61m)	285.00
62503	51" x 200' (1.29 x 61m)	386.00
62506	38" x 25' (965mm x 7.6m)	24.00

Luster

Provides a soft sheen to your prints and is constructed from vinyl for flexibility and conformability. 7mil PVC film.

62511	38" x 200' (965mm x 61m)	384.00
62517	43" x 200' (1.09 x 61m)	445.00
62513	51" x 200' (1.29 x 61m)	512.00
62516	38" x 25' (965mm x 7.6m)	28.00

Matte

Delivers low reflectance and is ideal for displays in highly-lit environments. 7mil PVC film.

62521	38" x 200' (965mm x 61m)	417.00
62523	51" x 200' (1.29 x 61m)	562.00
62526	38" x 25' (965mm x 7.6m)	33.00

Low Temp Heat-Set Laminating Films

Jet Guard UV

A family of premium, low-activation temperature (185° F - 205° F), laminating films that offer high-impact color enhancement, sharp contrast, UV protection and optimum durability.

Gloss 3mil (1/2) polyester

62102	25" x 250' (635mm x 76m)	91.00
62103	38" x 250' (965mm x 76m)	139.00
62104	43" x 250' (1.09 x 76m)	157.00
62105	51" x 250' (1.29 x 76m)	188.00
62106	55" x 250' (1.40 x 76m)	199.00
62107	61" x 250' (1.55 x 76m)	230.00
62101	38" x 25' (965mm x 7.6m)	24.00

Gloss 5mil (3/2) polyester

62112	25" x 250' (635mm x 76m)	145.00
62113	38" x 250' (965mm x 76m)	217.00
62114	43" x 250' (1.09 x 76m)	248.00
62115	51" x 250' (1.29 x 76m)	290.00
62116	55" x 250' (1.40 x 76m)	314.00
62117	61" x 250' (1.55 x 76m)	345.00
62111	38" x 25' (965mm x 7.6m)	24.00

Gloss 10mil (7/3) polyester

62122	25" x 250' (635mm x 76m)	278.00
62123	38" x 250' (965mm x 76m)	429.00
62125	51" x 250' (1.29 x 76m)	568.00
62126	55" x 250' (1.40 x 76m)	616.00
62121	38" x 25' (965mm x 7.6m)	31.00

Luster 3mil (1/2) polyester

62133	38" x 250' (965mm x 76m)	199.00
62134	43" x 250' (1.09 x 76m)	224.00
62135	51" x 250' (1.29 x 76m)	253.00
62131	38" x 25' (965mm x 7.6m)	24.00

Matte 3mil (1/2) polyester

62142	25" x 250' (635mm x 76m)	145.00
62143	38" x 250' (965mm x 76m)	212.00
62145	51" x 250' (1.29 x 76m)	284.00
62141	38" x 25' (965mm x 7.6m)	24.00

Jet Guard Crystal Matte

Ideal for trade show graphics, this film offers a clear matte finish that reduces reflected light and enriches print colors as it protects. 6mil (3.4/2.6) multi-layer film with polyester film.

4115	38" x 150' (965mm x 45.7m)	405.00
4116	51" x 150' (1.29 x 45.7m)	524.00
4117	55" x 150' (1.40 x 45.7m)	566.00
4118	61" x 164' (1.55 x 50m)	685.00
60283	38" x 25' (965mm x 7.6m)	31.00

Jet Guard Deep Crystal

Enhances color and protects with a durable, scratch-resistant, textured surface and a satin matte finish. Perfect for pop-up and large display applications. 6mil (3.4/2.6) multi-layer film with polyester core.

4110	38" x 150' (965mm x 45.7m)	375.00
4111	51" x 150' (1.29 x 45.7m)	476.00
4112	55" x 150' (1.40 x 45.7m)	513.00
4113	61" x 164' (1.55 x 50m)	625.00
60275	38" x 25' (965mm x 7.6m)	25.00

Pressure-Sensitive Laminating Films

Print Shield Premium UV

Print Shield Premium UV is a family of high performance laminating films designed to provide excellent image protection, a superior bond and superb UV protection thanks to a solvent acrylic adhesive with a high concentration of ultraviolet absorbers.

Gloss

Provides a thin, brilliant finish that boosts color and offers crisp definition. 3mil (1.6/1.4) polyester film with single paper release liner.

62244	38" x 200' (965mm x 61m)	473.00
62245	41" x 200' (1.04 x 61m)	512.00
62247	51" x 200' (1.29 x 61m)	634.00
62241	38" x 25' (965mm x 7.6m)	33.00

Luster

This film deepens and enhances colors, type and lines while maintaining excellent clarity. 3mil (2/1) PVC with single paper release liner.

62264	38" x 200' (965mm x 61m)	506.00
62265	41" x 200' (1.04 x 61m)	545.00
62267	51" x 200' (1.29 x 61m)	673.00
62268	51" x 400' (1.29 x 122m)	1,347.00
62261	38" x 25' (965mm x 7.6m)	33.00

Matte

A flat, non-reflective finish that yields a softening effect to lines and images. 4mil (3/1) PVC with single paper release liner.

62284	38" x 200' (965mm x 61m)	540.00
62285	41" x 200' (1.04 x 61m)	584.00
62287	51" x 200' (1.29 x 61m)	718.00
62281	38" x 25' (965mm x 7.6m)	38.00

Print Shield Standard UV

Print Shield Standard UV utilizes a water based acrylic adhesive to enhance and protect images while providing a superior bond and good UV protection through the use of a water-based acrylic adhesive.

Gloss

Provides a thick, glossy finish that heightens color and sharpens definition. 3.5mil (2.4/1.1) PVC film with single paper release liner.

62202	25" x 200' (635mm x 61m)	212.00
62230	30" x 200' (762mm x 61m)	256.00
62203	38" x 200' (965mm x 61m)	327.00
62204	41" x 200' (1.04 x 61m)	349.00
62205	51" x 200' (1.29 x 61m)	441.00
62208	51" x 400' (1.29 x 122m)	778.00
62231	54" x 200' (1.40 x 61m)	471.00
62209	55" x 200' (1.37 x 61m)	476.00
62232	60" x 200' (1.52 x 61m)	523.00
62206	61" x 200' (1.55 x 61m)	526.00
62207	79" x 164' (2.0 x 50m)	1,097.00
62201	38" x 25' (965mm x 7.6m)	23.00

Pressure-Sensitive Laminating Films

Print Shield Standard UV (continued)

Print Shield Standard UV utilizes a water based acrylic adhesive to enhance and protect images while providing a superior bond and good UV protection through the use of a water-based acrylic adhesive.

Luster

Enriches color, text and lines while maintaining excellent clarity. 3.5mil (2.4/1.1) PVC with single paper release liner.

62212	25" x 200' (635mm x 61m)	212.00
62233	30" x 200' (762mm x 61m)	256.00
62213	38" x 200' (965mm x 61m)	327.00
62214	41" x 200' (1.04 x 61m)	349.00
62215	51" x 200' (1.29 x 61m)	441.00
62218	51" x 400' (1.29 x 122m)	778.00
62234	54" x 200' (1.37 x 61m)	471.00
62219	55" x 200' (1.40 x 61m)	476.00
62235	60" x 200' (1.52 x 61m)	523.00
62216	61" x 200' (1.55 x 61m)	526.00
62211	38" x 25' (965mm x 7.6m)	29.00

Matte

A non-reflective, smooth, clear, flat finish which adds definition and depth. 4mil (3/1) PVC film with single release paper liner.

62222	25" x 200' (635mm x 61m)	224.00
62236	30" x 200' (762mm x 61m)	267.00
62223	38" x 200' (965mm x 61m)	343.00
62224	41" x 200' (1.04 x 61m)	366.00
62225	51" x 200' (1.29 x 61m)	458.00
62228	51" x 400' (1.29 x 122m)	816.00
62237	54" x 200' (1.37 x 61m)	491.00
62237	55" x 200' (1.40 x 61m)	496.00
62238	60" x 200' (1.52 x 61m)	545.00
62226	61" x 200' (1.55 x 61m)	549.00
62227	79" x 164' (2.01 x 100m)	1,097.00
62221	38" x 25' (965mm x 7.6m)	29.00

Print Shield Deep Crystal

A unique, pressure-sensitive overlaminates with a scratch-resistant, crystal-textured satin finish. Used in conjunction with PS Stoplight, Deep Crystal produces a durable solution for pop-up displays without the use of heat. 6mil (3.4/2.6) multi-layer film with polyester core.

63016	38" x 200' (965mm x 61m)	570.00
63017	51" x 200' (1.29 x 61m)	723.00
63015	38" x 25' (965mm x 7.6m)	34.00

SEAL Write

A glossy, pressure-sensitive polypropylene film that affords high washability, allowing you to turn virtually any image into a write-on/wipe-off chart of display. 2mil (1/1) polypropylene film with single paper release liner.

2082	38" x 200' (965mm x 61m)	407.00
2080	51" x 200' (1.29 x 61m)	545.00
60741	25" x 25' (635mm x 7.6m)	28.00

Pressure -Sensitive Mounting Adhesives

Print Mount Ultra

Mounts with unsurpassed smoothness! A premium, white adhesive that hides substrate blemishes and conforms to curved surfaces. Excellent for thin media and preventing dark substrates or light from bleeding through. Ideal for use indoors or outdoors. 3mil solvent acrylic adhesive with white polypropylene carrier and single release liner.

1657	25" x 200' (635mm x 61m)	446.00
1622A	31" x 200' (787mm x 61m)	512.00
1659	38" x 200' (965mm x 61m)	707.00
1649-9	41" x 200' (1.04 x 61m)	727.00
1658	43" x 200' (1.09 x 61m)	796.00
1649-6	51" x 200' (1.29 x 61m)	810.00
1625	51" x 400' (1.29 x 122m)	1,471.00
1648	54" x 200' (1.37 x 61m)	855.00
60668	38" x 25' (965mm x 7.6m)	46.00

Print Mount Plus

Premium pressure-sensitive adhesive perfect for mounting digital, photographic and reprographic prints to a variety of substrates, including cardboard, foam board, wood, and plastic. Provides a strong permanent bond and can be used in both indoor and outdoor applications. 3mil solvent acrylic adhesive with clear polyester carrier and single release paper.

2344	25" x 200' (635mm x 61m)	403.00
1615	31" x 200' (787mm x 61m)	455.00
2341	38" x 200' (965mm x 61m)	603.00
1344-1	41" x 200' (1.04 x 61m)	628.00
2333	43" x 200' (1.09 x 61m)	684.00
1347-1	51" x 200' (1.29 x 61m)	696.00
1348	51" x 400' (1.29 x 122m)	1,267.00
2342	61" x 200' (1.55 x 61m)	880.00
60662	38" x 25' (965mm x 7.6m)	43.00

*Dual release liner

Print Mount White

A high quality, economical, opaque white mounting adhesive designed for pre-coating stable panels and media used for indoor applications. PM White keeps dark substrates or light from bleeding through. 3mil water-based acrylic adhesive with white polypropylene carrier.

62000	25" x 200' (635mm x 61m)	322.00
62001	38" x 200' (965mm x 61m)	483.00
62002	41" x 200' (1.04 x 61m)	512.00
62003	43" x 200' (1.09 x 61m)	546.00
62004	51" x 200' (1.29 x 61m)	560.00
62005	51" x 400' (1.29 x 122m)	907.00
62006	61" x 200' (1.55 x 61m)	669.00
62007	79" x 200' (2.0 x 61m)	867.00
62008	38" x 25' (965mm x 7.6m)	30.00

Pressure -Sensitive Mounting Adhesives

Print Mount Delta

An excellent, economical adhesive for digital prints. It has a high initial tack that permanently bonds to both soft and rigid substrates. Ideal for use in indoor and short-term outdoor applications. 2mil pressure-sensitive adhesive with clear polyester carrier and single release liner.

63160	25" x 200' (635mm x 61m)	263.00
63161	31" x 200' (787mm x 61m)	329.00
63162	38" x 200' (0.96 x 61m)	405.00

Pressure -Sensitive Mounting Adhesives

Print Mount Delta (continued)

63163	41" x 200' (1.04 x 61m)	431.00
63164	43" x 200' (1.09 x 61m)	455.00
63165	51" x 200' (1.29 x 61m)	463.00
63166	51" x 400' (1.29 x 122m)	826.00
63168	61" x 200' (1.55 x 61m)	651.00
63170	38" x 25' (0.96 x 7.6m)	29.00

Print Mount Removable

A clear, permanent/removable mounting adhesive for all print media. Permanent side bonds firmly to your print while the removable side provides a secure bond to floors or surfaces but allows the graphic to be removed when necessary. 4mil water-based acrylic adhesive with clear PVC carrier and single release liner.

2977	38" x 200' (965mm x 61m)	505.00
2976	51" x 200' (1.29 x 61m)	612.00
60293	38" x 25' (965mm x 7.6m)	41.00

OptiMount Ultra

A double-sided, optically clear pressure-sensitive mounting adhesive for face mounting inkjet, photographic, electrostatic or plain paper media to clear acrylics, plastics and glass. OptiMount features UV absorbers to protect images from fading and creates a permanent bond to both the graphics and substrates. Its acid-free adhesive coating performs flawlessly in vented light box applications. 3mil solvent acrylic adhesive with polyester carrier.

62051	31" x 200' (787mm x 61m)	982.00
62052	41" x 200' (1.04 x 61m)	1,304.00
62053	51" x 200' (1.29 x 61m)	1,462.00
62054	51" x 400' (1.29 x 122m)	2,734.00
62056	31" x 50' (965mm x 7.6m)	208.00

Pressure-Sensitive Backing Films

PS Stoplight

PS Stoplight is an opaque, white, flexible, pressure-sensitive polyester film with an aluminum layer offering rigidity and rollability with excellent lay-flat memory. Stoplight is ideal for use in pop-up ad panel display applications as well as a wide range of display applications that require extra durability. Available in two thicknesses and constructed from a multi-layer film with polyester core and single paper release liner.

PS Stoplight 220 7.1mil (6.1/1)

63006	38" x 200' (965mm x 61m)	804.00
63007	51" x 200' (1.29 x 61m)	1,060.00
63005	38" x 25' (965mm x 7.6m)	44.00

PS Stoplight 320 12.6 mil (7.6/5)

63292	38" x 200' (965mm x 61m)	1,427.00
63293	51" x 200' (1.29 x 61m)	1,928.00
63291	38" x 25' (965mm x 7.6m)	48.00

Heat-Activated Backing Films

Stoplight

Stoplight is an opaque, white, heat-activated (200 F), flexible polyester-based backing film with an aluminum layer offering rigidity and rollability with excellent lay-flat memory. It is ideal for use in pop-up and panel display applications. Stoplight is available in three thicknesses and consists of a multi-layer film with polyester core.

Stoplight 1154.5mil (3/1.5)

62026	38" x 200' (965mm x 61m)	422.00
62024	38" x 25' (965mm x 7.6m)	28.00

Stoplight 220 9mil (7/2)

60660	38" x 200' (965mm x 61m)	722.00
60675	51" x 200' (1.29 x 61m)	951.00
60669	38" x 25' (965mm x 7.6m)	76.00

Stoplight 320 12.5 mil (11/1.5)

63021	38" x 200' (965mm x 61m)	1,297.00
63022	51" x 200' (1.29 x 61m)	1,742.00
63020	38" x 25' (965mm x 7.6m)	83.00

ThermaShield White

ThermaShield White polyester backing films provide an excellent backing solution that reduces "show through" on most prints while also adding the rigidity required for display applications.

5mil (1/4) polyester

62431	38" x 250' (965mm x 76m)	231.00
62432	51" x 250' (1.9 x 76m)	308.00
62433	38" x 25' (965mm x 7.6m)	24.00

10mil (4/6) polyester

62436	38" x 250' (965mm x 76m)	623.00
62437	51" x 250' (1.29 x 76m)	836.00
62438	38" x 25' (965mm x 7.6m)	24.00

ThermaShield Black

ThermaShield Black polyester backing films provide an excellent backing solution that eliminates "show through" on prints while also adding rigidity and a unique appearance.

5mil (1/4) polyester

62441	38" x 250' (965mm x 76m)	290.00
62442	51" x 250' (1.29 x 76m)	386.00
62443	38" x 25' (965mm x 7.6m)	35.00

10mil (4/6) polyester

62446	38" x 250' (965mm x 76m)	652.00
62447	51" x 250' (1.29 x 76m)	872.00
62448	38" x 25' (965mm x 7.6m)	35.00

ThermaShield MB

A low temperature (200° F), heat-activated, solid white paper-based backing material with an outer polypropylene film surface that is ideal for backing prints in encapsulating applications. Its thickness controls light bleed through while offering the pliable rigidity needed for flexible applications. ThermaShield MB offers additional protection to prints by providing an outer surface that repels moisture, oils and dirt. Consists of a 10 mil (9/1) opaque white paper with polypropylene film surface.

3876	38" x 250' (965mm x 76m)	238.00
3877	43" x 250' (1.09 x 76m)	265.00
3878	51" x 250' (1.29 x 76m)	302.00
3879	55" x 250' (1.40 x 76m)	338.00
62485	61" x 250' (1.55 x 76m)	375.00
60672	38" x 25' (965mm x 7.6m)	28.00